

# SAFETY

## Table of Contents • Pages 98-114

### A

Aerosol Can Safety Cabinet	113
Apron,	
Shop	98
Work	98

### B

Bandages	99
Belt, Support	98
Blanket, Fire	111
Blood-borne Pathogen Kit & Supplies	99

### C

Cabinet,	
Eyewear Sanitizing	108
Flammable Liquids Storage	112-113
Safety	
Aerosol Can Storage	113
Corrosives Storage	113
Flammable Liquids Storage	112-113
Can, Safety Storage & Disposal	111-112
Chemical Organic Vapor Respirator	109
Chemistry Lab Goggles	105-106
Cleaning Station, Lens	107
Towelettes, Lens	107
Coat, Shop	98
Cone, Traffic / Safety	110
Corrosives Steel Storage Cabinet	113
Cotton Jersey Work Gloves	100
Cover Goggles	105-106

### D

Defibrillator	99
Disposable Gloves	100-101
Dispenser	101
Drum Dolly	111
Dust Mask	109

### E

Ear Plugs	110
Emergency	
Defibrillator	99
Drench Station	108
Eyewash	108
Instruction Device	100
Kit,	
Blood-borne Pathogen	99
First Aid	99
Eyewash, Emergency	108
Eyewear Sanitizing Cabinet	108
Eyewear, Protective	103-107

### F

Faceshield	106-107
Fire Blanket	111
First Aid	
Defibrillator	99
Emergency Instruction Device	100
Kit & Supplies	99
Flammable Liquids Storage Cabinet	112-113
Funnel	111

### G

Glasses, Safety	103-105
Glove Dispenser	101

## G, cont.

Gloves,	
Disposable	100-101
Latex	100
Latex & Powder-free, Nitrile	100
Polyethylene	101
Vinyl	100
Work	
Cotton Jersey	100
Leather	100
Goggles,	
Chemistry Lab	105-106
Safety	105-106

### H

Hard Hat	111
Hearing Protection	110

## J - K

Jersey Cotton Work Gloves	100
Kit,	
Blood-borne Pathogen	99
First Aid	99

### L

Latex & Powder-free, Nitrile Gloves	100
Leather Work Gloves	100
Lens Cleaning	
Station	107
Towelettes	107
Liquid Safety Storage Can & Cabinet	111-113

## M - N

Mask, Dust	109
Non-Skid Safety Tape	110

### P

Particulate Respirator	109
Protection, Hearing	110

### R

Respirator,	
& Accessories	109
Chemical/Organic Vapor	109
Particulate	109

### S

Safety Products	
Cone, Traffic / Safety	110
Eyewear	
Bifocal Glasses	104
Glasses	103-105
Goggles	105-106
Sanitizing Cabinet	108
Hearing Protection	110
Sign	110-111
Storage,	
Aerosol Can	113
Corrosives	113
Disposal Can	111-112
Flammable Liquids	112-113
Tape,	
Caution Watch Your Step	110
Non-skid	110
Striped Warning	110

## S, cont.

Sanitizing Cabinet, Safety Eyewear	108
Shop	
Apron	98
Coat	98
Sign, Safety	110-111
Storage Cabinet, Safety	
Aerosol Can	113
Corrosives	113
Flammable Liquids	112-113
Support Belt	98

### T

Tape,	
Caution Watch Your Step Warning	110
Non-skid	110
Safety Stripe Warning	110

### V

Vapor Respirator, Chemical/Organic	109
------------------------------------	-----

### W

Wipes, Respirator	109
Work Apron	98

# Safety Products

Dust Masks .....	109
Eyewash Stations .....	108
First Aid Kit .....	99
Glasses, Goggles & Faceshields .....	103
Hazardous Liquid Containers & Cabinets .....	111
Hearing Protection .....	110
Respirators .....	109
Safety Signs .....	110
Sanitizing & Storage Eyewear Cabinets .....	108
Warning Tape .....	110
Welding Clothing & Gloves .....	101
Work Gloves .....	100

**Take Extreme Caution • Not Fireproof**

Do not use cloth protective garments where there is danger of ignition.

## Work Aprons

### Cotton

**Quincy** Heavy-duty 10 oz. blue denim, sanforized. Extra heavy tie strings and yoke. Reinforced at points of strain. Two pockets, pencil seamed upper pocket. **Not fireproof.**



Stk.	Mfg.	Size	Each	24 or More!
<b>684098</b>	400	27" x 36".....	<b>\$ 11.80</b>	<b>\$ 10.65</b>
<b>685000</b>	401	27" x 42".....	<b>12.50</b>	<b>11.25</b>



**Steiner** 9 oz. cotton denim bib style apron. Floating pencil pocket on chest won't spill contents when wearer bends at waist. Ties at neck and waist. **Not fireproof.**

Stk.	Mfg.	Size	Each	24 or More!
<b>885098</b>	02935	28" x 35".....	<b>\$ 6.84</b>	<b>\$ 5.85</b>
<b>885099</b>	02940	29" x 40".....	<b>7.00</b>	<b>6.00</b>

### CPP™ Vinyl Apron

**Ansell** Highly resistant to chemicals, fats, oils, grease, punctures and abrasion. Flexible 8 mil clear vinyl. Sewn edge. FDA compliant. **Not fireproof.**

Stk. **618720** Mfg. 56-003..... 35" x 45" **\$ 4.51**



### Protection to Save Your Back Support Belts

**McGuire-Nicholas** Belt reduces repetitive motion strain and promotes proper lifting. Smooth-glide adjustable clips on 1" wide fixed suspenders and easy-adjust elastic outer panels with Velcro® closures. Enclosed stainless steel stays provide flexible contoured support. Black.

Stk. <b>532420</b>	Mfg. 74025 .....	medium 32" - 38"	<b>\$ 16.30</b>
Stk. <b>532421</b>	Mfg. 74035 .....	large 38" - 47"	<b>16.30</b>
Stk. <b>532422</b>	Mfg. 74045.....	x-large 46" - 56"	<b>16.30</b>



## Shop Coats

**Quincy** Knee length twill, 100% cotton, pre-shrunk and sanforized. Adjustable belt in back, open back vent for greater leg freedom. Pencil seamed upper pocket, two deep lower pockets, side slit openings. Specify number and size. **Not fireproof.**

### Long Sleeve Coats

Stk.	Mfg.	Color	Size	Price
<b>685469</b>	112	Tan	36.....	<b>\$ 43.00</b>
<b>685536</b>	112	Tan	38.....	<b>43.00</b>
<b>685603</b>	112	Tan	40.....	<b>43.00</b>
<b>685670</b>	112	Tan	42.....	<b>43.00</b>
<b>685737</b>	112	Tan	44.....	<b>43.00</b>
<b>685804</b>	112	Tan	46.....	<b>43.00</b>
<b>685810</b>	112	Tan	48.....	<b>43.00</b>
<b>685812</b>	112	Tan	50.....	<b>57.50</b>
<b>685814</b>	112	Tan	52.....	<b>60.40</b>
<b>685871</b>	119	Navy Blue	36.....	<b>43.00</b>
<b>685938</b>	119	Navy Blue	38.....	<b>43.00</b>
<b>686005</b>	119	Navy Blue	40.....	<b>43.00</b>
<b>686072</b>	119	Navy Blue	42.....	<b>43.00</b>
<b>686139</b>	119	Navy Blue	44.....	<b>43.00</b>
<b>686206</b>	119	Navy Blue	46.....	<b>43.00</b>
<b>686207</b>	119	Navy Blue	48.....	<b>43.00</b>
<b>686209</b>	119	Navy Blue	50.....	<b>57.50</b>
<b>686212</b>	119	Navy Blue	52.....	<b>60.40</b>



685469

### Short Sleeve Coats

Stk.	Mfg.	Color	Size	Price
<b>685474</b>	112SS	Tan	36.....	<b>\$ 43.00</b>
<b>685540</b>	112SS	Tan	38.....	<b>43.00</b>
<b>685607</b>	112SS	Tan	40.....	<b>43.00</b>
<b>685674</b>	112SS	Tan	42.....	<b>43.00</b>
<b>685740</b>	112SS	Tan	44.....	<b>43.00</b>
<b>685809</b>	112SS	Tan	46.....	<b>43.00</b>
<b>685811</b>	112SS	Tan	48.....	<b>43.00</b>
<b>685813</b>	112SS	Tan	50.....	<b>57.50</b>
<b>685815</b>	112SS	Tan	52.....	<b>60.40</b>
<b>685875</b>	119SS	Navy Blue	36.....	<b>43.00</b>
<b>685942</b>	119SS	Navy Blue	38.....	<b>43.00</b>
<b>686009</b>	119SS	Navy Blue	40.....	<b>43.00</b>
<b>686076</b>	119SS	Navy Blue	42.....	<b>43.00</b>
<b>686144</b>	119SS	Navy Blue	44.....	<b>43.00</b>
<b>686210</b>	119SS	Navy Blue	46.....	<b>43.00</b>
<b>686208</b>	119SS	Navy Blue	48.....	<b>43.00</b>
<b>686211</b>	119SS	Navy Blue	50.....	<b>57.50</b>
<b>686213</b>	119SS	Navy Blue	52.....	<b>60.40</b>



685474

### For Safety DVDs & Videos

please refer to the Index for page locations.

### For Work Benches & Shop Lockers:

Chairs & Stools.....	75
Bench Tops .....	81
Number Plates .....	81
Vises .....	168
Shop Lockers .....	80



# Health Safety Kits & Supplies

## First Aid Kits

### First Aid Center

**Acme** Handy transportable, wall mountable kit full of quality supplies for shop or classroom emergencies.

10"L x 3"W x 7"H.

**Includes** vinyl gloves, cold pack, burn ointment packs, bandages (adhesive, knuckle, fingertip), gauze pads (2" x 2"), eye pad, nonstick pad, conforming roll gauze (2"), sting relief pads, tape, tongue depressors, antiseptic towelettes, alcohol pads, ointment packs, first aid guide & case.

Stk. **189269** Mfg. 13418..... 133-piece kit **\$ 34.30**

**Refill Kit. Includes** cold pack, 6 burn ointment packs, 54 bandages (50 adhesive, 2 ea. fingertip & knuckle), 16 alcohol pads, 2 conforming gauze rolls (2"), 4 sting relief pads, 10 nonstick pads (2" x 3") & paper tape (1 1/2" x 15").

Stk. **189285** Mfg. 40001..... 94-piece kit **\$ 27.50**



### 940- & 704-Piece Kits

**Acme** Well-stocked stations with product-location map on each shelf to help with organization and reordering. Wall-mountable metal case (mounting hardware not included).

**Includes** elastic & adhesive bandages, burn cream, antibiotic ointment, pain relief products, cold pack, gloves, forceps, scissors, gauze pads, alcohol pads, iodine pads, eyewash & eye pads, dressings, tourniquet, sting relief pads, CPR shield, personal protection kit & more.

Stk. **189291** Mfg. 14302..... 940-piece kit for 100 students **\$ 312.00**

Stk. **189292** Mfg. 14303..... 704-piece kit for 50 students **255.00**



### Bandage Strips

**Acme** 3/4" x 3" adhesive plastic bandages.

Stk. **189125** Mfg. 40600..... 100/box **\$ 8.64**



### Blood-borne Pathogen Kit

**Acme** Personal protection kit is designed to protect from blood-borne pathogens. Meets OSHA standards for cleaning bodily fluid spills, plus preventing disease and contamination.

**Includes** apron, shielded face mask, 2 shoe covers, 2 large powdered latex gloves, absorbent pack, scoop/scrapper, 2 biohazard bags w/twist ties, 3 towels (14" x 21-1/2" ea.), germicidal wipe, 2 antimicrobial wipes, instruction sheet & case.

Meets OSHA & ACM 91100 standards.

Stk. **189290** Mfg. 91100..... 17-piece kit **\$ 28.00**



### Eye & Eyewear needs:


Eye Wash Stations.....	108
Lens Cleaning Station.....	107
Goggles.....	105
Sanitizing Cabinets.....	108
Faceshields.....	106



Visual cues prompt pad placement



Stand clear of the patient



It is safe to touch the patient

### Are You Prepared for Sudden Cardiac Arrest? Samaritan PAD System Defibrillator

**HeartSine** Sudden Cardiac Arrest (SCA) is a leading cause of death globally and response time is critical for survival. The Samaritan PAD System is designed especially for use in public areas by the lay, minimally-trained rescuer.



- AED (Automated External Defibrillator) is a small, efficient & easy-to-use lifesaving unit
  - Lighter (2.4 lbs.) & smaller (by 28-56% than others)
  - Durable, resists shock & vibration, plus carries an IP56 Rating (the industry's highest rating against dust & water) for use in the most inclement conditions
  - Advanced technology SCOPE™ (Self Compensating Output Pulse Envelope) Biphasic technology automatically optimizes energy output for each person & provides significantly better performance in removing ventricular fibrillation (VF) by the third shock\*
  - User-friendly visual & voice prompts easily & clearly guide user through the process, plus 2-button operation (on & shock)
  - System Status Ready indicator flashes to show that the system is operational & ready for use (device automatically runs self check each week)
  - Economical Pad-Pak™ cartridge has a shelf life of 3.5 yrs. (from mfg. date), for significant savings over defibrillators w/separate battery (ies) & electrodes
  - Easy-to-maintain Pad-Pak cartridge combines battery & electrode pads, w/1 disposable item to replace after use, or at expiration date
  - 7-yr. mfg.'s warranty
  - 3.5'H drop tested
- Size 8.0" x 7.25" x 1.9". Weight 2.4 lbs. (w/Pad-Pak battery).

**Includes** PAD defibrillator, adult Pad-Pak (electrode pads & battery), quick reference card, training DVD, medical prescription authorization, AED+CPR responder kit, inspection maintenance tag, AED "Equipped Facility" decal, manual & case.

Stk. **892370** Mfg. HS01..... Complete PAD System **\$ 1,440.00**

Stk. **892371** Mfg. HS001F..... System w/Cabinet & Alarm **1,665.00**

\* Efficacy of Distinct Energy Delivery Protocols Comparing 2 Biphasic Defibrillators for Cardiac Arrest.

### PAD System Accessories & Supplies

#### Wall Bracket

Stk. **892372** Mfg. PADCAB02..... **\$ 95.00**

**Pad-Pak™ Refill Units.** 18V Li-ion manganese dioxide battery (LiMnO<sub>2</sub>) cartridge w/0.8 amp hrs., capacity of >30 shocks at 200J (or 6 hrs. of continuous monitoring), 3.5 yr. shelf life (from mfg. date), 20.5" active gel area (ea. pad). 3.5'L cable. **Includes** electrode pads, battery cartridge & holder.

Stk. **892374** Mfg. PPO1..... for adult\* use **\$ 144.00**

Stk. **892376** Mfg. PPO2..... for pediatric\*\* use **176.00**

Pad placement on the body: \*adult anterior-lateral, \*\*pediatric anterior-posterior.

### PAD SYSTEM TECHNICAL OVERVIEW\*

**Defibrillator:** Pre-configured factory-escalating energy settings (AHA/ERC 2005).

Adult.....	1st shock 150J,	2nd shock 150J,	3rd shock 200J
Pediatric.....	1st shock 50J,	2nd shock 50J,	3rd shock 50J

**Charging Time:** New battery (typically)..... 150J in <8 sec., 200J in <12 sec.  
After 6 discharges (typically)..... 150J in <8 sec., 200J in <12 sec.

**Patient Analysis System:** Evaluates patient's ECG, signal quality, electrode contact integrity & patient impedance to determine if defibrillation is required.

\* For in-depth technical information, call us at (800) 831-5904, or check online at [www.midwesttechnology.com](http://www.midwesttechnology.com).



## Health Safety Kits & Supplies, cont.



### Comprehensive & Immediate Interactive First Aid Emergency Tool Emergency Instruction Device (EID)

**First Voice** Just 4 minutes in a medical emergency can mean the difference between life and death. EID is a life saving, affordable device that allows

rescuers to help mediate the situation until 911 assistance arrives.

Rugged, award-winning unit offers human voice audio instructions that calmly guides rescuer using comprehensible instruction segments. High-quality, water-resistant speaker projects 100 words per min. (average instruction length is less than 15 sec.). Toggle button switches to LCD display for high-noise environments and hearing impaired rescuers.

#### Types of injuries & medical emergencies addressed\*:

- Bleeding, shock, childbirth
- Heart, chest pain, stroke
- Heat, cold, overexertion
- Multiple injuries
- Fracture, sprain
- Seizure, diabetic
- Head, neck, spine
- CPR, choking, drowning
- Eye
- Burns
- & more

\*Typically resulting in an ER visit or hospitalization.

#### Ways EID benefits rescuers:

- Reduces panic & confusion
- Provides accurate medical protocols
- Improves outcomes for lay, minimally-trained rescuers
- Color-coded push buttons (w/injury symbols) activate voice commands
- Patented triage-based system ensures victims receive accurate & properly sequenced first aid treatment
- Guides user w/real-time instructions during trauma/first aid situations
- Guarantees immediate readiness for remote, high-traffic, public & large gathering areas w/delayed or limited EMT/911 coverage
- Instructions provide rescuer & public protection w/PPE (Personal Protective Equipment), BBP (Blood-borne Pathogen) cleanup
- English & Spanish instruction (add'l. languages avail.)
- Provides first aid training that engages the senses, improves retention
- 1.25" slim design w/easy grab handle fits into/onto any responder bag, first aid kit or AED (Automated External Defibrillator) cabinet
- Accessible SD slot allows for audio & LCD protocol updates
- Unit offers long term use & low (battery) operating costs
- 3-yr. mfr.'s warranty (on parts)

Size 9"H x 11.5"W x 1.25"D. Weight 2 lbs. (w/batteries).

Temperature: standby 50° to 110°F, operating 32° to 122°F.

IP Rating: IP54, highly water- & dust-resistant. 1 meter shock/drop tested. Power preservation auto shut-off: 2 min. LCD backlight, 10 min. EID.

Protocols: Emergency Cardiovascular Care (ECC) & National First Aid Science Standards (American Heart Assoc., American Red Cross, American Lifeguard Assoc., National Safety Council & other major training organization compliant). Meets/exceeds OSHA & Homeland Security guidance requirements.

Complies w/UL, IPC-A-610, Intrinsically-Safe & FCC standards.

Requires 3 AA batteries or rechargeable batteries, sold separately.

Stk. **892368** Mfg. AVU5001..... \$ **248.00**

#### AA Batteries & Charger

Stk. **687720** Mfg. AA..... Duracell Alkaline, 4/pkg. \$ **5.85**

Stk. **943197** Mfg. L91BP-2..... Eveready Li-ion, 2/pkg. **7.18**

Stk. **942715** Mfg. NH15BP-4 .. Energizer Ni-Mh Rechargeable, 4/pkg. \$ **18.70**

Stk. **943265** Mfg. CHFC..... Energizer Battery Charger **44.50**

## Gloves

### Soft Hand Protection that's Washable Cotton Jersey Work Gloves

**Wells Lamont** Soft brown cotton gloves with knit wrist to fit small or large sizes.

Stk. **942902** Mfg. 508S..... small \$ **1.53**

Stk. **942904** Mfg. 508L..... large **1.53**



## Gloves, cont.

### Synthetic Leather Work Gloves

**DEWALT** Terry cloth with breathable spandex backhand. Reinforced padded palm. Breathable, flexible neoprene between fingers, and in knuckle strap and wrist system. ToughGrip™ reinforced fingertips and thumb saddle. Elastic cuff with hook and loop closure. ToughThread™ double stitching. Concealed inner seams. Machine washable.

Stk. **687830** Mfg. DPG20M..... medium \$ **15.60**

Stk. **687831** Mfg. DPG20L..... large **15.60**

Stk. **687832** Mfg. DPG20XL..... x-large **15.60**



### Leather Palm Work Gloves

**Steiner** Shoulder-split leather on palm, thumb, index finger, fingertips and knuckle strap with soft palm lining. Safety cuff style features gunn cut pattern with wing thumb, pull tab and rubberized cuffs.

Stk. **885000** Mfg. SPC02..... \$ **3.31**



**Steiner** Heavy, side-split cowhide on the palm, thumb, index finger, fingertips, and knuckle strap, plus a soft palm lining. Safety cuff has gunn cut pattern with a wing thumb, pull tab and rubberized cuffs.

Stk. **885075** Mfg. 02339..... \$ **3.60**



### Vinyl Gloves

**Summit** Highly sensitive touch for painting, staining, electronics work, assembly and food handling. Ambidextrous design. Powdered. 4.5 mil thick. 100/bx.

Stk. **528130** Mfg. 70520..... small \$ **7.13**

Stk. **528131** Mfg. 70530..... medium **7.13**

Stk. **528132** Mfg. 70540..... large **7.13**

Stk. **528133** Mfg. 70550..... x-large **7.13**



### Latex Gloves

**Summit** Seamless construction, rolled cuff, fits either hand. Extra stretch for best fit, highly sensitive touch. 10"L, 5 mil thick. **Caution: natural latex may cause allergic reactions in some individuals.**

#### Powdered Gloves. 100/bx.

Stk. **528110** Mfg. 71420..... small \$ **12.40**

Stk. **528111** Mfg. 71430..... medium **12.40**

Stk. **528112** Mfg. 71440..... large **12.40**

Stk. **528113** Mfg. 71450..... x-large **12.40**

#### Powder-free Gloves. 100/bx.

Stk. **528117** Mfg. 71520PF..... small \$ **13.70**

Stk. **528118** Mfg. 71530PF..... medium **13.70**

Stk. **528119** Mfg. 71540PF..... large **13.70**

Stk. **528120** Mfg. 71550PF..... x-large **13.70**



### Latex-free Nitrile Gloves

**Summit** Low-powder, blue synthetic rubber gloves protect from most solvents and oils, plus offer abrasion, cut and puncture protection. Ambidextrous, single-use glove with beaded cuff and micro-texture finish. 4 mil thick, 9.5"L. 100/box. **Not for use w/ketones & some organic solvents.**

Stk. **528140** Mfg. 71620..... small \$ **12.80**

Stk. **528141** Mfg. 71630..... medium **12.80**

Stk. **528142** Mfg. 71640..... large **12.80**

Stk. **528143** Mfg. 71650..... x-large **12.80**



## Gloves, cont.

### Polyethylene Gloves

**Summit** Gloves have heat-sealed seams and fit either hand. USDA accepted. 1.25 mil thick. 100/bx.

Stk. **528100** Mfg. 82120 ..... small **\$ 1.97**  
 Stk. **528101** Mfg. 82130..... medium **1.97**  
 Stk. **528102** Mfg. 82140..... large **1.97**



**Lisle Magnetic Glove Dispenser.** Dispenser attaches to tool box or ferrous metal surface. 2 large magnets secure unit, or mount to wall using screw slots provided. 3 adjusting springs accommodate all common sizes of disposable gloves (50 & 100 pkgs.). Powder-coated steel.

Stk. **503830** Mfg. 20130..... **\$ 26.10**

Cover Safety Concerns with these Hardworking Gloves

### Leather Welding Gloves

**Steiner** Premium-quality gloves feature . . .

- Welded at all critical seams
- Brown leather (\*except where noted)
- Side-split cowhide sewn w/super-strong Kevlar® thread
- Gunn cut pattern w/wing thumb
- USA made
- Full lining

### Mylar® Protection from Heat & Radiation Cowhide Welding Gloves

Triple lined with an inner layer of aluminumized Mylar that reflects radiant heat and ultraviolet radiation off back of hand. Double reinforced palm and wing thumb.

Stk. **885045** Mfg. 02139..... large **\$ 15.40**



### Superb Quality that's Priced Right 2-Piece Back Welding Gloves

Made of select shoulder-split cowhide, these quality gloves feature extra-long 5" unlined safety cuffs.

Stk. **885030** Mfg. 02105..... **\$ 39.00**



### Great Value, High Quality Red Welding Gloves

Priced right, fully-welded high performance glove with comfortable full foam lining, reinforced thumb strap and thumb patch. Imported red leather gloves.

Stk. **885090** Mfg. 02719..... **\$ 11.90**



### Like a Safety Pillow Surrounding Your Hand Foam-lined Welding Gloves

Get maximum comfort plus safety in a glove that offers full cotton and foam lining on the palm and back of the hand. Wing thumb has a patch and reinforced strap. This fully-welded glove is imported.

Stk. **885220** Mfg. 2119B..... **\$ 11.90**



### Priced Right to Protect Your Entire Classroom! Economy Welding Gloves

Receive comfort, protection, and durability at a great value. Imported, gray leather gloves have a soft, full-cotton lining.

Stk. **885050** Mfg. 02209..... **\$ 5.70**

## Leather Welding Gloves, cont.

**Steiner** Premium-quality gloves feature . . .

- Welded at all critical seams
- Brown leather (\*except where noted)
- Side-split cowhide sewn w/super-strong Kevlar® thread
- Gunn cut pattern w/wing thumb
- USA made
- Full lining

### Follows Finger Contour Relieving Stress Natural Thumb™ Welding Gloves

Curved finger base conforms to natural finger alignment reducing fatigue in production welding. Triple-layer insulated, Heat Resistor™-lined back, foam-insulated palm. Top-quality, garment-grade leather. Flame-resistant insulated lining. Reinforced thumb and palm patch. Green\*.

Stk. **885016** Mfg. 023NT..... large **\$ 18.00**



### MIG Gloves\*

#### Durable Cowhide & Heat-resistant Pigskin\*

**Miller** Designed for medium-duty MIG welding and metalworking tasks. Ergonomically-curved fingers and padded palm for extra comfort. Durable top-grain cowhide palm. Heat and abrasion-resistant pig split back for rugged wear and protection. Kevlar® stitching for extra seam strength.

Stk. **566225** Mfg. 227-823..... large **\$ 25.40**



#### Premium-grain Pigskin\*

**Steiner** Premium pigskin gloves with reversed-grain pigskin palms protect against high heat. They are abrasion, oil and water resistant, and dry to its original softness. Fully-welded gloves with foam-insulated back, unlined palm, straight thumb (w/thumb strap) and 5" gray cuff.

Stk. **885010** Mfg. P750M..... medium **\$ 14.60**  
 Stk. **885011** Mfg. P750L..... large **14.60**  
 Stk. **885012** Mfg. P750XL..... x-large **14.60**



### TIG Gloves\*

#### Goatskin\* Dexterity & Durability

**Miller** Made from goatskin and specifically designed for the demands of TIG welding. Provides excellent dexterity, comfort and durability. Padded palm for extra comfort. Kevlar® stitching for extra seam strength.

Stk. **566226** Mfg. 227-815..... large **\$ 28.00**



#### Soft, Durable Deerskin\*

**Steiner** Unlined split deerskin gloves stitched with Kevlar® thread. Sensi-TIG™ seamless index finger and straight thumb. 2" cuff.

Stk. **885025** Mfg. 0221L..... **\$ 10.40**



#### Premium Grain Sheepskin\*

**Steiner** Unlined, Kevlar®-stitched sheepskin gloves. Sensi-TIG™ seamless index finger and straight thumb. 4" gray cuff.

Stk. **885027** Mfg. 0223M..... medium **\$ 13.70**  
 Stk. **885028** Mfg. 0223L..... large **13.70**  
 Stk. **885029** Mfg. 0223XL..... x-large **13.70**



## Welding Clothing

### Safeguard Against "Furnace-Blast" Temps Zetex Plus High-heat Hand Protection

Withstands continuous temperatures up to 2,000°F. Silica fabric features a unique coating that doesn't allow heat penetration. Fully lined, cotton lining on the palm and 11 oz. wool on the back of the hand. 1-size, 14" L.



Stk. **885110** Mfg. 07115..... Mittens **\$ 58.00**  
Stk. **885109** Mfg. 07114..... Gloves **70.00**

### Aramid/Fiberglass Gloves

**Steiner** Aramid (*Kevlar*®) fibers and fiberglass blend to create gloves that withstand exposure up to 600°F. Full 11 oz. wool-insulated lining. Superior abrasion and cut resistance. 14" L.

Stk. **885115** Mfg. 08314 ..... **\$ 50.60**



### Protect Clothing from Super Blast Furnace Conditions Kevlar® Bib Apron

Made from a blend of Kevlar and fiberglass, this apron resists heat up to 600°F. Abrasion and cut resistant.

Stk. **885205** Mfg. 18425..... 24"W x 39"L **\$ 66.60**



### Protection from Molten Furnace Heat Kevlar® Sleeves

Made from a blend of Kevlar and fiberglass, sleeves resist heat up to 600°F. Abrasion and cut resistant. 18" L sleeves protect up to the mid-biceps muscle and snaps at the wrist.

Stk. **885207** Mfg. 18440..... **\$ 49.60**

### Lighter Weight Flame Retardant Protection Weldmite® Fabric Bib Aprons

Weldmite offers a protective clothing option that is lighter and more comfortable than leather for applications not requiring leather.

Made from 12 oz. permanently flame retardant fabric, the 100% cotton will retain its flame retardant properties even after repeat washings. USA made, these bucktan garments are sewn from full-cut patterns and offer adjustable neck and waist straps.

Stk. **885125** Mfg. 10125..... 24" x 36" **\$ 13.80**  
Stk. **885126** Mfg. 10126..... 24" x 40" **15.00**



### Lightweight Cloth & Less Expensive than Leather Fire Stop® Cotton Jackets

Cotton jacket is permanently flame retardant without taking away from its natural qualities. It's cooler and lighter than leather. Ideal for indoor or warm weather use. Stress points are bar tacked for greater strength. 30" L jacket has inside chest pocket and non-reflective snap closure and snaps at wrist. Green color.

Stk. **885132** Mfg. 10301..... medium **\$ 25.40**  
Stk. **885133** Mfg. 10302..... large **25.40**  
Stk. **885134** Mfg. 10303..... x-large **25.40**  
Stk. **885131** Mfg. 10304..... 2x-large **27.90**

### Lightweight Protective Cloth Fire Stop® Cotton Clothing

Flame retardant cotton clothing is cool and light. Green color.

**Cape Sleeves.** Arm & upper torso protection. Non-reflective snap closure & wrist snaps. *Detachable bib for added protection, sold separately.*

Stk. **885136** Mfg. 10321..... medium **\$ 19.60**  
Stk. **885137** Mfg. 10322..... large **19.60**  
Stk. **885138** Mfg. 10323..... x-large **19.60**  
Stk. **885144** Mfg. 10324..... 2x-large **21.60**  
Stk. **885135** Mfg. 10315..... 19" L Detachable Bib **\$ 5.61**

**Split Leg Apron.** Protection w/freedom of movement. Reinforced crotch & adjustable waist, neck & leg straps. 24"W x 40"L.

Stk. **885139** Mfg. 10336..... **\$ 16.20**

Cape Sleeves shown  
w/Detachable Bib  
sold separately

Split Leg Apron



### Strong, Flexible, Durable & Safe Leather Welding Clothing

**Steiner** Leather is the time-proven material for welding protection. It's strong, flexible, extremely durable, yet economical when compared to high-temp synthetics.

- Made of selected side-split cowhide
- Brown leather
- Chrome tanned for greater heat resistance
- Seams protected w/super-durable, double-locked Kevlar® stitching
- Non-reflective black snaps for front, wrist & roll-up collar closures
- Rivets end each seam
- Resists cuts, sparks, slag
- USA made

#### Size = Chest Measurement Guide

- Medium = 40 - 42
- Large = 44 - 46
- XL = 48 - 50
- 2XL = 52 - 54

### Protection for Arms & Upper Torso Leather Cape Sleeves w/Bibs

Elastic straps under the arms hold the cape sleeve in place for out-of-position work. Welting of the cape sleeve shoulder and lower arm seams provides extra insurance against burn-out. Roll-up collar snaps protect the neck from overhead welding. Bib is 14" L.

Stk. **885140** Mfg. 12121..... medium **\$ 122.00**  
Stk. **885141** Mfg. 12122..... large **122.00**  
Stk. **885142** Mfg. 12123..... x-large **122.00**  
Stk. **885143** Mfg. 12124..... 2x-large **129.00**



### Shield Lower Legs & Shoes Leather Leggings with Spats

Protect your lower legs and shoes with 15" leather leggings featuring a hook and loop fastener to hold leggings in place and leather shoe protector.

Stk. **885195** Mfg. 12186..... **\$ 46.00**



### Shield Ankles & Shoes Leather Spats

Full protection for foot and ankle. 5" H spats fasten by 3 adjustable straps on the ankle and 1 on the instep. USA made.

Stk. **885194** Mfg. 12185..... **\$ 20.80**



**Welding Benches, page 420.**  
**Booths & Safety Curtains, pages 420-421.**

**Strong, Flexible, Durable & Safe  
Leather Welding Clothing, cont.**

**Steiner, cont.** *Leather is the time-proven material for welding protection. It's strong, flexible, durable, yet economical when compared to high-temp synthetics.*

- Made of selected side-split cowhide
- Brown leather
- Chrome tanned for greater heat resistance
- Seams protected w/super-durable, double-locked Kevlar® stitching
- Non-reflective black snaps for front, wrist & roll-up collar closures
- Rivets end each seam
- Resists cuts, sparks, slag
- USA made

**Size = Chest Measurement Guide**

• Medium = 40 - 42 • Large = 44 - 46 • XL = 48 - 50 • 2XL = 52 - 54

**Jackets Provide Breathable Coverage  
Weld-rite™ Leather Jackets**

Coverage with air vents located in front and back under-arms and upper back. Sleeves also feature wrist snaps and soapstone holders. Jacket has reinforced front snaps, 2-snap collar, satin lining, inside pocket and adjustable waist.



Stk. <b>885400</b>	Mfg. 92141	..... medium, 26" L	<b>\$ 76.60</b>
Stk. <b>885401</b>	Mfg. 92142	..... large, 26" L	<b>76.60</b>
Stk. <b>885402</b>	Mfg. 92143	..... x-large, 26" L	<b>76.60</b>
Stk. <b>885403</b>	Mfg. 92144	..... 2x-large, 26" L	<b>84.30</b>
Stk. <b>885405</b>	Mfg. 92151	..... medium, 30" L	<b>\$ 82.30</b>
Stk. <b>885406</b>	Mfg. 92152	..... large, 30" L	<b>82.30</b>
Stk. <b>885407</b>	Mfg. 92153	..... x-large, 30" L	<b>82.30</b>
Stk. <b>885408</b>	Mfg. 92154	..... 2x-large, 30" L	<b>90.50</b>

**Weld-rite™ Leather  
Cape Sleeves & Bib**

Arm and upper body coverage with open back and lower torso for comfort and freedom of movement. Weltd shoulder and arm seams. USA made snaps for closure on front, wrist and collar. *Optional bib for added protection, sold separately.*



Stk. <b>885370</b>	Mfg. 92101	..... medium	<b>\$ 52.50</b>
Stk. <b>885371</b>	Mfg. 92102	..... large	<b>52.50</b>
Stk. <b>885372</b>	Mfg. 92103	..... x-large	<b>52.50</b>
Stk. <b>885373</b>	Mfg. 92104	..... 2x-large	<b>57.80</b>
Stk. <b>885378</b>	Mfg. 92115	..... 19" L Detachable Bib	<b>\$ 15.90</b>

**Weld-rite™ Leather Aprons**

Quality aprons from 4 or less split-cowhide pieces. Kevlar® stitching, rivet seam reinforcement. Adjustable nylon straps, quick-release buckle. 24" W.



**Waist Apron**

Stk. **885410** Mfg. 92160 ..... 24" L **\$ 20.00**

**Bib Aprons. 2-compartment chest pocket.**

Stk. **885412** Mfg. 92165 ..... 36" L **\$ 30.40**  
 Stk. **885413** Mfg. 92166 ..... 42" L **36.40**

**Split-leg Aprons. Adjustable leg straps.**

Stk. **885415** Mfg. 92171 ..... 42" L **\$ 40.80**  
 Stk. **885416** Mfg. 92172 ..... 48" L **45.00**

**Weld-rite™ Leather Sleeves**

Premium side-split cowhide sleeves fit easily into welding glove cuffs to protect upper arms from burns. Kevlar® stitching and rivet reinforcement at seams. Adjustable leather strap, snaps at wrist. 2/pkg.



Stk. <b>885419</b>	Mfg. 92180	..... 18" L	<b>\$ 21.50</b>
Stk. <b>885420</b>	Mfg. 92181	..... 23" L	<b>29.60</b>

**Tool Bag Chuck Full of Safety Gear  
Welding Safety Kit**

Handy kit stocked with required items for welding safely.

**Includes**

- cotton flame-retardant welding jacket
- pigskin gloves & welding gloves
- 3' x 4' welding blanket
- bib style leather apron
- safety glasses
- welder's cotton cap
- tool bag



Stk. <b>884990</b>	Mfg. KITAM	..... medium-size clothing	<b>\$ 198.00</b>
Stk. <b>884991</b>	Mfg. KITAL	..... large-size clothing	<b>198.00</b>
Stk. <b>884992</b>	Mfg. KITAX	..... x-large-size clothing	<b>198.00</b>
Stk. <b>884993</b>	Mfg. KITA2X	..... 2x-large clothing	<b>201.00</b>

**Safety Glasses**

All glasses meet ANSI Z87.1+ standards.  
 \* Some provide additional protection.



Cool Protection for Small Faces

**Dyno-Mites™ Student Glasses**

**sellstrom** Scaled to fit a small student's face, protective glasses offer a nosepiece that eliminates viewing obstructions. Adjustable comfort temples.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
<b>772825</b>	70301	r/w/b*	clear	<b>\$ 5.59</b>	<b>\$ 5.00</b>

\* Red, white & blue frame.



Junior-sized Eyewear

**Sebring® 400**

**sellstrom** Fashionable protection for small faces, these glasses offer wide single-piece lenses for incredible clarity and side protection. Adjustable temples.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
<b>772620</b>	73801	black	clear	<b>\$ 1.72</b>	<b>\$ 1.50</b>

Especially for Small Faces

**Rad-Atac Small™**

**Radians** Frame fits students with smaller faces. Rubber-tipped temples provide a non-slip, comfortable fit. Polycarbonate lens provides impact resistance.

\* Provides 99.9% UV protection.

Stk.	Mfg.	Frame	Lens	Each
<b>687802</b>	ATS-10	clear	clear	<b>\$ 2.18</b>



**PT9**

**sellstrom** Attractive smooth frame with adjustable temples for a secure fit. Soft flexible nosepiece provides comfortable protection.



Stk.	Mfg.	Frame	Lens	Each	24 or More!
<b>772615</b>	74201	blue	clear	<b>\$ 3.11</b>	<b>\$ 2.80</b>



## Safety Glasses, cont.

All glasses meet ANSI Z87.1+ standards.

\* Some provide additional protection.



### Style Plus Comfort Avalanche™

**sellstrom** Jazzy glasses offer rubberized straight tips that relieve pressure from

temples. 3 lens styles to choose from – wear the indoor/outdoor lens for bright/dark lighting situations, the smoke lens for bright lighting and clear for indoors.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
772627	74101	black	clear.....	\$ 3.46	\$ 3.10
772631	74171	black	smoke.....	3.46	3.10
772629	74151	black	indoor-outdoor...	3.87	3.50

### Protection for Visitors, Even Those with Glasses

#### Guest-Gard®

**sellstrom** Lightweight protection for visitors. Wraparound design, universal fit nose bridge, fixed side shields and frosted brim. Can be worn over eyeglasses.

Stk.	Mfg.	Frame	Lens	Each	100 or More!
772622	79108	clear	clear.....	\$ 2.34	\$ 1.99



### Bifocal-type Lens For Close-up Viewing

#### Sebring® 600 Mag

**sellstrom** Diopter lens inserts allow you to get a more detailed look at workpiece. Durable, wide single piece lens provides clarity and side protection. Adjustable temples for a safe and secure fit.

Stk.	Mfg.	Frame	Lens, Diopter	Each
772734	74615	clear	clear, 1.50.....	\$ 4.72
772735	74620	clear	clear, 2.00.....	4.72
772736	74625	clear	clear, 2.50.....	4.72



### TechnoSports II™

**sellstrom** Sleek glasses offer outstanding peripheral vision, optic clarity and minimized distortion for reduced eyestrain. 1-piece, scratch-resistant, hard-coated, UV absorbing polycarbonate.

\* Provides 99% UV protection.

Stk.	Mfg.	Frame	Lens	Each
772672	74801	black	clear.....	\$ 2.13
772673	74871	black	smoke.....	2.13



### Maximum Style & Protection Atlantis™

**sellstrom** Students will be the envy of their peers! Atlantis™ offers design, comfort and protection all in one. Clear lenses with frames in a variety of colors.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
772830	70601	black	clear.....	\$ 3.19	\$ 2.85
772832	70631	blue	clear.....	3.19	2.85
772834	70651	green*	clear.....	3.19	2.85
772836	70661	silver	clear.....	3.19	2.85
772838	70671	burgundy	clear.....	3.19	2.85

\* Pearl green frame.



### Sebring® 600

**sellstrom** Durable, wide single piece lens provides clarity and side protection. Adjustable temples for a safe and secure fit.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
772570	74601	clear	clear.....	\$ 2.13	\$ 1.90



### Safe, Stylish & Adjustable

#### Sebring® 400

**sellstrom** Lightweight protective eyewear has adjustable temples with high-fashion styling and strong safety features, including Sebring 400 plastic frames. The hard-coated integral polycarbonate lenses provide side shield protection.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
772689	76301	black	clear.....	\$ 1.72	\$ 1.55
772558	76401	burgundy	clear.....	1.72	1.55
772691	76601	blue	clear.....	1.72	1.55
772676	76371	black	smoke.....	1.72	1.55
772677	76701	r/w/b*	clear.....	1.72	1.55

\* Red, white & blue frame.



### X200™

**sellstrom** Anti-scratch, UV-absorbing polycarbonate lenses provide outstanding impact resistance and clarity – perfect for indoor and outdoor industrial applications. Rubberized, straight temples minimize slip and relieve unwanted pressure. Rubberized nosepiece.

\* Provides 99% UV protection & ANSI+ High Impact standards.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
772487	70501	clear	clear.....	\$ 2.56	\$ 2.30
772488	70511	black	smoke.....	2.56	2.30



### X300™

**sellstrom** Industrial, anti-scratch polycarbonate lens provides optical clarity. Amber lens enhances contrast to reduce eyestrain. Comfortable wraparound style.

\* Provides 99% UV protection.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
772490	70701	clear	clear.....	\$ 1.36	\$ 1.20
772491	70711	amber	amber.....	1.36	1.20
772492	70721	smoke	smoke.....	1.36	1.20



### High-Velocity, High-Impact Safety X400™ Series

**sellstrom** Anti-scratch UV absorbing polycarbonate lens provides outstanding impact strength and optical clarity for industrial protection. Straight tips relieve temple and back-of-ear pressure. Comfortable, secure wrap-around fit slide-free nose bridge.

\* Meets ANSI Z94.3, ANSI+ High Impact & MIL-PRV-31013 Velocity Ballistic standards. Provides 99.9% UV protection. UL Z94.3 listed.

Stk.	Mfg.	Frame	Lens	Each
772503	71301	clear	clear.....	\$ 1.50
772484	71311	smoke	smoke.....	1.50
772485	71321	amber	amber.....	1.50
772486	71371	i/o*	i/o*.....	1.62

\* Indoor/outdoor frame & lens.

## Safety Glasses, cont.

All glasses meet ANSI Z87.1+ standards.  
\* Some provide additional protection.



### Super-sturdy, plus Great Vision with Comfort Firebirds™

**sellstrom** Anti-scratch, 99.9% UV absorbing polycarbonate lens provides outstanding impact strength and optical clarity for rugged industrial protection. Wraparound style with rubberized temple tips provides a secure, comfortable fit. Smoke lens offers contrast for inside or outside work.

\* Provides 99.9% UV & ANSI+ High Impact standards.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
772501	73401	clear	clear	\$ 1.90	\$ 1.70
772502	73471	smoke	smoke	4.14	3.70

### B5™

**sellstrom** High-impact, adjustable frame. Clear anti-scratch UV absorbing polycarbonate lens provide high-impact strength and optical clarity for industrial work. Clear lens for indoor/outdoor work in low light conditions. Shade 5 IR for welding, medium to heavy torch soldering, brazing and cutting operations.

\* Provides 99.9% UV & shade 5 IR protection.



Stk.	Mfg.	Frame	Lens	Each	24 or More!
772498	74701	black	clear lens	\$ 4.63	\$ 4.15
772499	74751	black	shade 5 IR	8.12	7.30

### Protector™

**DEWALT** Rubber-tipped temples provide secure, comfortable fit. Sleek, lightweight, polycarbonate lens is impact resistant and distortion-free.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
687804	DPG54-ID	yellow	clear	\$ 3.11	\$ 2.80



Designed for Comfort & Secure Fit

### Maxview™

**sellstrom** Maxview™ glasses are designed for comfort and a secure fit. Polycarbonate, abrasion-resistant lens fits over most eyeglasses.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
772693	79301	clear	clear	\$ 3.52	\$ 3.15



### G4

**Radians** Customizable 5-position ratcheting temples and telescoping earpieces. 1-piece lens offers side eye protection and extended brow coverage. Polycarbonate, impact and scratch-resistant lens.

\* Provides 99.9% UV protection.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
687826	G40110ID	black	clear	\$ 1.96	\$ 1.75
687827	G40510ID	r/w/b*	clear	1.78	1.60

\* Red, white & blue frame.



### Tomahawk

**Crews** Wraparound 1-piece polycarbonate lens with integral side shields. Dual adjustment temples. For indoors and out.

\* Provides 99.9% UV protection.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
532800	TK110	black	clear	\$ 2.57	\$ 2.20
532801	TK120	blue	clear	2.99	2.50
532802	TK130	r/w/b*	clear	2.99	2.50

\* Red, white & blue frame.

### Dual Comfort™

**DEWALT** Ratcheting, telescoping temples adjust for a comfortable fit. Snug, rubber-tipped temples. Protective cushioned brow. Polycarbonate, impact resistant wraparound lens.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
687805	DPG55-ID	b/y*	clear	\$ 8.25	\$ 7.43

\* Black & yellow frame.



### Reinforcer™

**DEWALT** Soft, rubber nosepiece is ergonomically shaped for a secure grip. Cushioned rubber, non-slip temple pads add comfort and grip. Lightweight, polycarbonate lens is impact resistant and distortion-free. Handgrip pattern on temple.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
687806	DPG58-ID	b/y*	clear	\$ 7.81	\$ 7.00

\* Black & yellow frame.



### Journey™ Realtree

**Radians** Hardwoods® camouflage pattern frame. Clear, 99.9% UV protected lenses are hardcoated for scratch resistance. Rubber nose-piece and 4-position telescoping temples for superior fit.

\* Provides 99.9% UV protection.

Stk.	Mfg.	Frame	Lens	Each	24 or More!
687840	JR4H10ID	camo	clear	\$ 7.32	\$ 6.58



### sellstrom Safety Glasses Accessory



**Safeguards® Eyewear Micro-fiber Bag.** Black bag w/drawstring closure stores & protects 1 pair of safety glasses.  
Stk. 772489 Mfg. 79904 ..... \$ 1.48

### Safety Goggles

All goggles meet ANSI Z87.1+ standards.  
\* Some provide additional protection.



### Odyssey® Chemical Splash Goggles

**sellstrom** Anti-scratch, UV-absorbing polycarbonate lens. Ultra-comfortable, soft clear PVC body for a snug seal. Indirect vents on top and bottom protect against liquids and dust while permitting indirect ventilation. Clear anti-fog extra-wide, peripheral-vision lens. Fits over prescription eyewear. Easy strap adjustment.

\* Provides 99.9% UV protection.

Stk.	Mfg.	Vent	Lens	Each	36 or More!
772517	80010	indirect	fog-free	\$ 5.25	\$ 4.70

### Odyssey® II Chemical Splash Goggles

**sellstrom** Industrial goggle with indirect vents on top and bottom to protect against chemical splash and dust while permitting ventilation. Blue PVC body with easy-adjust black cloth flame-retardant strap. Lens has extra-wide peripheral vision, fits over personal glasses, UV absorbing polycarbonate, sealed, dual scratch-resistant.

\* Provides 99.9% UV protection.

Stk.	Mfg.	Vent	Lens	Each	24 or More!
772728	80200	indirect	fog-free	\$ 11.20	\$ 10.00



## Safety Goggles, cont.

All goggles meet ANSI Z87.1+ standards.

\* Some provide additional protection.



### Concealer™ Safety Goggles

**DEWALT** ToughCoat™ impact-resistant clear lens protects against scratches. Low-profile design with full-field vision. Soft, rubber lining conforms to face, blocks dust and debris. Ventilation channels and XtraClear™ coating prevent fogging. Adjustable elastic head strap.

\* Provides 99.9% UVA/B protection.

Stk.	Mfg.	Vent	Lens	Each	24 or More!
687809	DPG82-11	indirect	fog-free	\$ 10.80	\$ 9.72



### Perforated Goggles

**Radians** Green-tinted flexible body provides excellent ventilation and protects against dust and debris. Adjustable elastic strap. Fits over most prescription eyewear.

Stk.	Mfg.	Vent	Lens	Each	24 or More!
687836	GGPI1UID	direct	regular	\$ 1.94	\$ 1.75
687837	GGPI1IID	direct	fog-free	2.40	2.15



### Chemical Goggles

**Radians** Indirect vent goggle provides protection against chemical splashes. Adjustable neoprene strap. Fits over most prescription eyewear.

Stk.	Mfg.	Vent	Lens	Each	24 or More!
687838	GG011UID	indirect	regular	\$ 2.40	\$ 2.15
687839	GG011IID	indirect	fog-free	2.94	2.65



### Mini Economy Goggles

**sellstrom** Specially designed for small faces, goggles offer unbeatable comfort and protection. Green-tinted flexible PVC body with .060" clear lenses. Adjustable elastic headbands.

Stk.	Mfg.	Vent	Lens	Each	36 or More!
772525	83000	direct	regular	\$ 2.29	\$ 2.00
772526	83200	indirect	regular	3.39	3.00



### Fog-free Goggles

**sellstrom** Green-tinted flexible PVC body with clear lens. 18" adjustable elastic headband.

Stk.	Mfg.	Vent	Lens	Each	36 or More!
772635	88010	direct	fog-free	\$ 6.84	\$ 6.10



### Mini Fog-free Chemistry Lab Goggles

**sellstrom** Ideal for smaller faces and working in confined areas. Molded indirect venting protects against hazardous liquids and dust. Clear lens with clear flexible PVC body. 18" adjustable elastic headband.

Stk.	Mfg.	Vent	Lens	Each
772655	89211	indirect	fog-free	\$ 5.73



### Fog-free Chemistry Lab Goggles

**sellstrom** Molded indirect venting protects against hazardous liquids and dust. Green-tinted flexible PVC body with clear lens. 18" adjustable elastic headband.

Stk.	Mfg.	Vent	Lens	Each	36 or More!
772645	88210	indirect	fog-free	\$ 7.76	\$ 6.99

## Impact Goggles

**sellstrom** Direct vent impact goggle for protection during grinding, chipping and cutting. Soft vinyl conforms comfortably to facial contours. Fits over personal glasses. Clear acetate lens.



Stk.	Mfg.	Vent	Lens	Each	36 or More!
772636	88000	direct	regular	\$ 5.72	\$ 5.15



### Chemical Impact Goggles

**sellstrom** Indirect vent impact chemical splash goggle protects against hazardous liquids and dust. Made of soft, comfortable vinyl. Fits over personal glasses. Clear acetate lens.

Stk.	Mfg.	Vent	Lens	Each	36 or More!
772642	88200	indirect	regular	\$ 6.64	\$ 5.99

### Elastic Goggle Replacement Headbands. 18" blue elastic strap.

Stk. 772626 Mfg. 22445 ..... 12/pkg. \$ 10.40

## Safety Shields

Eye, face, neck & hand protection from splashes & chips. Use for most wood-working, metalworking & portable power machines.

### Flexiguard™ Shields

**Flexbar** Curved plastic shield on rugged flexible gooseneck. Positively deflects chips and coolant. Permits clear, closer visual inspection of work.

**C-Clamp Base.** For clamping shield on hard-to-affix locations. 1-3/8" clamp capacity, 11/16" throat to screw center, arm w/clamp 13-1/2"L.

Stk. 408502	Mfg. 13001	7-1/2" x 10"	\$ 50.00
Stk. 408503	Mfg. 13002	10" x 12"	55.40
Stk. 408504	Mfg. 13003	12" x 16"	64.20



**Magnetic Base.** Disc magnet w/85 lbs.

pull. Arm w/magnet 10"L. Shield swivels & locks 360°.

Stk. 408505	Mfg. 13004	7-1/2" x 10"	\$ 48.60
Stk. 408506	Mfg. 13005	10" x 12"	55.40
Stk. 408507	Mfg. 13006	12" x 16"	60.80

## Faceshields

**Caution:** glasses or goggles must be worn whenever using faceshields.

Impact-resistant shields are not unbreakable & do not provide extraordinary protection against flying particles, splash, spray & spatter.

### Fog Free Faceshield

**sellstrom** Plastic crown and ratchet headgear with clear Sta-Clear™ fog-free window. Easy-to-replace acetate faceshield is chemical splash resistant and measures 8" x 12" x .040".

Meets ANSI Z87.1+ standards.

Stk. 772575	Mfg. 39140	\$ 26.40
Stk. 772591	Mfg. 35040	12" Replacement Window 9.45
Stk. 772597	Mfg. 35140	16" Replacement Window 11.70



## Faceshields, cont.

**Caution:** glasses or goggles must be worn whenever using faceshields. Impact-resistant shields are not unbreakable & do not provide extraordinary protection against flying particles, splash, spray & spatter.

### 2 Styles for Just the Right Fit Standard Faceshields

**sellstrom** Maximum comfort is available with either the Ratchet or Positive Lock style headgear. Ratchet adjusts with the turn of a knob while wearing the headgear. Positive Lock features 2 snap-in locking headgear straps that adjust independently to ensure a tight fit. Clear window measures 8" x 12" x .040".



Meets ANSI Z87.1+ standards.

Stk. <b>772641</b>	Mfg. 39010 . . . . .	positive lock headgear w/window	<b>\$ 17.70</b>
Stk. <b>772644</b>	Mfg. 39000 . . . . .	positive lock headgear w/out window	<b>11.10</b>
Stk. <b>772598</b>	Mfg. 39110 . . . . .	ratchet headgear w/window	<b>\$ 24.80</b>
Stk. <b>772596</b>	Mfg. 39100 . . . . .	ratchet headgear w/out window	<b>18.10</b>
Stk. <b>772592</b>	Mfg. 35020 . . . . .	12" Green Replacement Window	<b>\$ 6.74</b>
Stk. <b>772590</b>	Mfg. 35000 . . . . .	12" Clear Replacement Window	<b>7.28</b>
Stk. <b>772496</b>	Mfg. 35100 . . . . .	16" Clear Replacement Window	<b>9.58</b>

### Infra-Guard™ IR Shade 5 Faceshield

**sellstrom** Excellent protection from infrared and ultraviolet rays with a wide viewing area. Comes with plastic crown, ratchet headgear and 8" x 12" x .060" IR shade 5 window.



Meets ANSI Z87.1+ standards.

Stk. <b>772576</b>	Mfg. 39150 . . . . .		<b>\$ 36.10</b>
Stk. <b>772594</b>	Mfg. 35050 . . . . .	12" Replacement Window	<b>14.00</b>
Stk. <b>772583</b>	Mfg. 35150 . . . . .	16" Replacement Window	<b>22.90</b>

### Combination Clear & 5 IR Flip-up Lens DP4 Faceshield

**sellstrom** Multi-purpose faceshield with clear window for grinding and shade 5 IR flip-up lens window for cutting and brazing. Ratchet headgear. The clear window measures 12" x 9" x .060".



Meets ANSI Z87.1+ standards.

Stk. <b>772643</b>	Mfg. 32151 . . . . .		<b>\$ 46.70</b>
--------------------	----------------------	--	-----------------

### Chin Protection Faceshield

**sellstrom** Durable faceshield features extra safety with top and bottom molded plastic caps. Drop-down ratchet headgear and 7" x 19" x .040" clear window are included.



Meets ANSI Z87.1+ standards.

Stk. <b>772595</b>	Mfg. 38110 . . . . .		<b>\$ 32.70</b>
Stk. <b>772593</b>	Mfg. 36000 . . . . .	Replacement Window	<b>10.70</b>

### Advantage™ 301 Faceshield

**sellstrom** Durable aluminum bound polycarbonate faceshield for extreme impact strength. Comfortable, ratchet headgear with soft brow pad and gray ABS crown. Easy-to-replace clear, non-glare window measures 8" x 15-1/2" x .040".



Meets ANSI Z87.1+ standards.

Stk. <b>772730</b>	Mfg. 30110 . . . . .		<b>\$ 14.80</b>
Stk. <b>772731</b>	Mfg. 37600 . . . . .	Replacement Window	<b>5.62</b>

## Universal Windows

**sellstrom** Chemical-resistant polycarbonate offers outstanding durability, clarity and high-impact resistance. Acetate windows are an affordable option with a non-glare finish providing excellent clarity.

Universal hole pattern allows windows to fit the following faceshields: Allsafe 5500SN & CP5004, Apex 8500, Bullard 1001 & 300/400, Crews 103, FibreMetal F501, F5400 & F6400, Huntsman Model K, Jackson 170 & 337, North 67300.

Meets ANSI Z87.1+ standards.

Stk.	Mfg.	Window Type	Size	Price
<b>772493</b>	37000	clear acetate	8" x 16" x .040" . . . . .	<b>\$ 6.86</b>
<b>772494</b>	37040	clear fog-free acetate	8" x 16" x .040" . . . . .	<b>8.21</b>
<b>772495</b>	37050	IR shade 5 acetate	8" x 16" x .060" . . . . .	<b>25.90</b>

## Lens Cleaning Stations & Towelettes

### Sta-Clear® Metal Station

**sellstrom** Maintain protective eyewear and worker safety. Refillable, durable metal unit includes lock and key. Station can be fastened to wall or sanitizing monitor cabinet.



**Includes** lock & key, box of 1,000 Sta-Clear lens tissues (refills, sold separately), spray pump bottle & tissue disposal area.

8-5/8" x 6-1/2" x 5-3/8". Tissues should not be used on Fog Free Lenses.

Stk. <b>772556</b>	Mfg. 23470 . . . . .		<b>\$ 62.50</b>
--------------------	----------------------	--	-----------------

**Sta-Clear Lens Cleaning Tissues.** 1,000 silica-free tissues will not scratch polycarbonate lenses (should not be used on Fog Free Lenses).

Stk. <b>772560</b>	Mfg. 23480 . . . . .	Fits 23470, or may be used alone	<b>\$ 19.70</b>
--------------------	----------------------	----------------------------------	-----------------

### Disposable Station



**Radians** Sturdy, economical station provides instant access for cleaning safety glasses, goggles faceshields and full face respirators. Specially-developed formula cleans greasy, oily lenses while providing an anti-fog/anti-static coating. Low lint, silicone-free tissues are non-abrasive, and leave lenses clear and streak free.

**Includes** box of 1,200 tissues & 16 oz. spray pump bottle.

Stk. <b>687819</b>	Mfg. LCS161200 . . . . .		<b>\$ 15.30</b>
--------------------	--------------------------	--	-----------------

### Towelettes

**Radians** Anti-fog, anti-static towelettes are easy to use and disposable. Silicone-free wipes clean glass, plastic and polycarbonate.



**Includes** 100 foil-wrapped towelettes in a box.

Stk. <b>687818</b>	Mfg. LCD100 . . . . .		<b>\$ 6.98</b>
--------------------	-----------------------	--	----------------

### How Goggle Venting Works

- **Direct Vent** provides maximum airflow & protection against grinding, chipping & cutting.
- **Indirect Vent** protects against liquids & dust while permitting indirect ventilation.

## Safety Eyewear Sanitizing Cabinets

### Ultraviolet Sterilization Cabinets

#### Room for Hard Hats

**Germicon** Cabinet holds 40 goggles or glasses in individual compartments for student or instructor identification. There's even room to accommodate sterilization of hard hats. Aluminum reflectors insure irradiation of cabinet. Features convenient timer and heavy-gauge doors with key lock.

30"W x 30"H x 12"D.  
Stk. **218000** Mfg. 100-F ..... **\$ 634.00**



#### Economical Unit

**Kerkau** Lab-tested sterilization cabinet for glasses and goggles. 15-minute timer controls sterilization, key lock, 2 safety door switches, long-life ultraviolet bulbs and heavy neoprene 8' 18/3 grounded power cord. Holds up to 30 goggles or safety glasses.

24-1/2"W x 28"H x 9-1/4"D.  
Stk. **217090** Mfg. K-50 ..... **\$ 499.00**



*glasses sold separately*

### Monitor® Germicidal Cabinet

**sellstrom** Sanitize student's eyewear between wearing by storing safety glasses and goggles in this white enameled steel cabinet. Timer controlled, built-in germicidal lamp. Holds up to 48 glasses, 40 goggles, or 36 glasses and 10 goggles. Interlock door has tamper-resistant latches.

**Cabinet.** 24-1/2"W x 32"H x 9-1/2"D.  
Stk. **772671** Mfg. 90494..... each **\$ 651.00** 3 or More! **\$ 550.00**

**Cabinet w/Glasses & Goggles.** 36 pair Safety Glasses (76301) & 10 pair Fog Free Safety Goggles (88000).  
Stk. **558560** Mfg. MW90490..... **\$ 659.00**

**Cabinet w/Goggles.** 36 pair Safety Goggles (88000).  
Stk. **558556** Mfg. MW90492..... **\$ 729.00**



### Germicidal Cabinet Accessories

**Replacement Keys.** For Sellstrom's 90494 cabinet.  
Stk. **772497** Mfg. 90479 ..... 2/pkg. **\$ 6.23**

**Replacement Lamps**  
For Sellstrom's 90490, 90492 (Series 2,000) & 90494 cabinets.  
Stk. **772670** Mfg. 90482..... 30" Lamp **\$ 90.70**

For Sellstrom's Series 11-11, Germicon & Kerkau cabinets.  
Stk. **772660** Mfg. 90469..... 17" Lamp **\$ 50.00**

### For Safety DVDs & Videos

*please refer to the Index for page locations.*

## Emergency Eye Wash Stations

### Eye Wash & Shower Safety Station

**sellstrom SentryWash™** Barrier free eye wash/drench shower has an 11-1/2" stainless steel bowl with 4 heads and Cyclac shower head with stay-open valve.

Shower head of 10" blue ABS plastic delivers 30 gPM @ 30 psi., 20" dia. x 60"H spray. 1" IPS chrome-plated brass stay-open ball shower valve with stainless steel actuating arm and stainless steel pull rod.

Eye wash unit offers 2 outlet heads, each with a self-regulating flow control (to assure soft, balanced flow), filter to remove debris from water and float-off dust cover. 1/2" IPS chrome-plated brass stay-open ball valve is activated by epoxy coated cast aluminum flag handle.

Pipe & fittings 1-1/4" IPS Schedule 40 hot-dipped galvanized steel w/9" cast aluminum floor flange.

Supply 1" IPS female top or side inlet. Waste: 1-1/4" IPS female outlet.

Meets ANSI Z358.1 standard. 1" IPS inlet. 1-1/4" IPS outlet.

Stk. **772738** Mfg. 90530..... **\$ 1,243.00**



### Portable Eye Wash Unit

**sellstrom Gravit-Eye™** 16 Gal. portable, self-contained, gravity-operated eye wash station. Made of a high density green and yellow FDA polyethylene. Designed to set on a flat surface or to be wall mounted.

**Includes** wall mounting bracket, drain hose, bacteriostatic additive & test log card.

Meets ANSI Z358.1 standard. 20-1/2"H x 21"W x 18-1/2"D.

Stk. **772579** Mfg. 90320..... **\$ 263.00**

**Dust Cover.** Clear vinyl allows directions & log card to be read when station is covered. Single pulling down motion on dust cover flap initiates eye wash flow. Easy to install & clean.

Stk. **772696** Mfg. 90334..... **\$ 29.70**

**Redi-Sep™ Bacteriostatic Additive.** Water preservative for use in any gravity flow eye wash unit. Tamper-evident sealed. Date coded for easy inspection. In service life of 6 months.

Stk. **772509** Mfg. 90322 ..... 8 oz. bottle **\$ 5.67**

### Wall-mounted Eye/Face Wash Station

**sellstrom SentryWash™** 12" Blue ABS plastic bowl. Soft spray outlet heads with individual volume controls. Hand/foot control with stay-open ball valve. Heavy-duty corrosion-resistant cast aluminum wall bracket mounting.

Meets ANSI Z358.1 standard. 1/2" IPS inlet, 1-1/4" IPS outlet.

Stk. **772667** Mfg. 90445..... **\$ 259.00**



### Faucet-mounted Eye Wash Station

**sellstrom SentryWash™** Adjustable outlet heads mounted 3" apart and equipped with float-off dust covers. 3 adapters for attaching to most common faucets and removable aerator on bottom outlet.

Stk. **772661** Mfg. 90100 ..... **\$ 129.00**



### Emergency Drench Station

**sellstrom SentryWash™** Hand-held eye/face/body spray has 8' high-pressure hose and wall hook. Features single soft spray outlet head and self-closing valve with squeeze handle.

Meets ANSI Z358.1 standard. 3/8" IPS inlet.

Stk. **772669** Mfg. 90600-2..... **\$ 215.00**



## Respirators

### Dust Masks

**Gerson** Nuisance-dust mask for comfortable relief against the irritating effects of nontoxic, nuisance dusts. Will not collapse when wet or used in high humidity. Aluminum nosepiece adjusts for a custom fit. Lightweight, does not interfere with breathing or speech.



**For comfort only. Not a respirator, does not provide lung protection.**  
Stk. **430500** Mfg. 1501 ..... 50/box \$ **6.06**

### Particulate Relief Dust Masks

**Gerson** Collapse-resistant double-shell construction enables this model to withstand hot and humid conditions, extending product life. Durable, latex-free polymer headstraps are pre-stretched and ultrasonically welded to withstand tough use. Adjustable contoured nosepiece and soft open-cell foam nose cushion ensure proper fit and increased comfort. Low profile design enables use of goggles or goggles and reduces fogging.



**NIOSH 42 CFR 84 approval. 95% efficiency against particulate aerosols free of oil. Time use restrictions may apply.**

**For comfort only. Not a respirator, does not provide lung protection.**  
Stk. **430507** Mfg. 1730 ..... 20/box \$ **15.30**



**3M** N95 provides reliable protection against certain non-oil based particles. Features Advanced Electret Media, adjustable nose clip and nose foam for a custom fit and secure seal. Use for handling and working with grinding, sanding, sweeping, bagging, drywall materials and dusty operations.

**For comfort only. Not a respirator, does not provide lung protection.**  
Stk. **590406** Mfg. 8200 ..... 20/box \$ **13.80**

### Organic Vapor, Dust, Fume & Mist Protection Twin Cartridge Respirator

**Binks** Finest quality silicone face piece for outstanding comfort, easy cleanup and long life. Will not deteriorate after repeated washing and exposure to paints and solvents. Combination cradle/neckstrap for a non-slip comfortable fit. Equipped with heavy-duty oil resistant filters for extra loading capacity.



Meets NIOSH 42 CFR Part 84 standard.

**Includes 2 filters & storage bag.**  
Stk. **240407** Mfg. 40-128 ..... medium \$ **58.40**  
Stk. **240408** Mfg. 40-143 ..... large \$ **58.40**

**Twin Cartridge Respirator Cartridges.** Offers protection against certain organic vapors, lacquers & enamels.

Meets NIOSH 42 CFR Part 84 standard. **2 filters required for each mask.**  
Stk. **240570** Mfg. 40-1921 ..... Replacement Cartridges, 2/pkg. \$ **16.10**

**Twin Cartridge Respirator Filters.** Specially engineered heavy-duty oil resistant filters for increased respiratory protection.

Meets NIOSH 42 CFR Part 84 standard. **2 filters required for each mask.**  
Stk. **240574** Mfg. 40-1924-10 ... Replacement Pre-filters, 10/pkg. \$ **27.20**

## Handy Storage Cabinets

Mobile, Hanging, Bin & Shelved

Pages 59-75.

### Savings & Comfort with Maximum Protection Half-mask Respirators

**3M** Economical, lightweight respirators can be disassembled, cleaned and reused. Features soft thermoplastic elastomer facepiece, good visibility and easy-adjust head straps.

Use to protect students from a variety of gases, vapors and particulate hazards (including petrochemical, chemical manufacturing, construction, transportation & electronics). When properly fitted, helps provide respiratory protection from certain organic vapors at concentrations up to 10x the Permissible Exposure Limit (PEL).

Meets NIOSH standard. **2 filters required for each mask, sold separately.**  
Stk. **942682** Mfg. 6200 ..... medium facepiece \$ **14.40**  
Stk. **942683** Mfg. 6300 ..... large facepiece \$ **14.40**



**Organic Vapor Cartridge.** Meets NIOSH 42 CFR Part 84 standard. **2 filters required for each mask.**  
Stk. **942684** Mfg. 6001 ..... 2/pkg. \$ **12.30**

**sellstrom Respirator Wipes.** Individually packaged wipes keep respirator safe & clean. Each easy-to-use nonalcohol towelette measures 5-1/4" x 7-1/2". Self-dispensing box, containing 100 towelettes, can rest on counter or hang on wall.



Stk. **772529** Mfg. 22185 ..... \$ **7.99**

## Bench Top Spray Booths



**Paasche** Rugged, compact, portable, easy-to-assemble unit is perfect for small ceramics to radio control models. Intended to remove larger particles from the air (but will not remove all hazardous airborne materials).

When spraying materials that have strong vapors or harmful chemicals, vent exhaust outside (& when necessary wear goggles & protective paint/vapor mask). Made of durable, galvanized metal for easy cleaning.

Inside working area 22"L (HSSB-22-16), 30"L (HSSB-30-16) x 16"H x 20"D. Weight (shipping) 39 lbs. (HSSB-22-16), 44 lbs. (HSSB-30-16). CFM (approx.) 270 (HSSB-22-16), 540 (HSSB-30-16).

**Includes carbon & fiberglass filter system, vent & enclosed motor.**

Stk.	Mfg.	Volts	HP	Phase	Speed (rpm)	Price
<b>640370</b>	HSSB-22-16	115	1/4	1	—	\$ <b>277.00</b>
<b>640371</b>	HSSB-30-16	115	1/4	1	—	\$ <b>455.00</b>

Stk. **640280** Mfg. CHAR-8 ..... Replacement Filter; Charcoal \$ **7.46**  
Stk. **640297** Mfg. AG-8 ..... Replacement Filter; Polyester \$ **2.67**

**Paasche** Made of 20 ga. galvanized steel, this unit's powerful motor filters dangerous fume away from students. Its large size accommodates spraying of parts. Convenient, disposable fiberglass filters. Booths in single or multiple sections are ideal where space is limited.

Inside working area 24"L x 18"H x 18"D.  
Outside size 24-1/2"L x 24-1/2"H x 2'D. 140 lbs.

**Includes** belt guard, draft gauge, 2 sets of filters, vent & enclosed motor.

**Must be assembled & hardwired.**

Stk.	Mfg.	Volts	HP	Phase	Speed (rpm)	Price
<b>640349</b>	BBF-2	115	1/4	1	1,725	\$ <b>1,231.00</b>
<b>640350</b>	BBF-2	230	1/4	3	1,725	\$ <b>1,231.00</b>

Stk. **640299** Mfg. AG-12 ..... Replacement Filters, 50/box \$ **76.30**



## Ear Plugs



### Snug Plug Pairs with Cord

**Radians** Super soft plugs are washable and reusable. FDA approved, nontoxic materials. High NRR rating for reusable ear plugs.

Meets ANSI S3.19 standard. NRR=28dBA.

Stk. 687816	Mfg. JP3150ID	..... w/case	\$ 1.38
Stk. 687817	Mfg. JP3165ID	..... w/out case	1.13

### Resistor 32 Foam Ear Plug Pairs

**Radians** Tapered comfortable fit. Extremely soft to seal without pressure. Smooth surface repels dirt.

Meets ANSI S3.19 standard. NRR=32dBA.

Stk. 687812	Mfg. FP70	... uncorded, each	\$ .21	200 or More!	\$ .19
Stk. 687813	Mfg. FP71	..... corded, each	.42	100 or More!	.38



## Hearing Protection

### Earmuffs

#### Terminator™ 29

**Radians** Lightweight earmuff offers maximum protection, comfort and fit. Soft, extra-long adjustable headband padding. Foam-filled ear cushions provide comfort, even over safety glasses.

Meets ANSI S3.19 standard. NRR=29dBA.

Stk. 687825	Mfg. TR0160CS	.....	\$ 19.70
-------------	---------------	-------	----------



#### Silencer™ 26

**Radians** Lightweight dielectric earmuff offers padded, adjustable headband. Foam-padded earcups provide a comfortable fit even over safety glasses. Rugged and durable in a wide range of environments.

Meets ANSI S3.19 standard. NRR=26dBA.

Stk. 687820	Mfg. SL0130CS	.....	\$ 9.18
-------------	---------------	-------	---------

#### Def-Guard

**Radians** Sliding headband fits all sizes. Foam-filled, padded earcups fit securely and comfortably. Lightweight, dielectric and durable.

Meets ANSI S3.19 standard. NRR=23dBA.

Stk. 687810	Mfg. DF0310HC	.....	\$ 5.54
-------------	---------------	-------	---------



#### Lowset 21, Foldable Model

**Radians** Comfortable, lightweight, low profile design folds compactly for storage and earcup protection. Headband adjusts with side wire guides for optimum fit. Coolmax® headband wicks away moisture and cools user. Foam-filled ear cushions fit comfortably even with safety glasses.

ANSI standard n/a. NRR=21dBA.

Stk. 687815	Mfg. LS0100CS	.....	\$ 12.80
-------------	---------------	-------	----------

#### Interceptor™

**DEWALT** Lightweight earmuff with maximum protection, comfort and fit. Low profile design folds compactly for storage and earcup protection. Headband adjusts with side wire guides for optimum fit. CoolMax® adjustable headband wicks away moisture and cools user. Padded ear cushions fit comfortably.

ANSI standard n/a. NRR=29dBA.

Stk. 687808	Mfg. DPG62-C	.....	\$ 24.60
-------------	--------------	-------	----------



## Safety Tape

### Safety Stripe Warning Tape

**Incom** Tape has bright, durable warning stripes protected by clear laminated film to provide a bold, long lasting warning tape. Self-sticking tape adheres easier, faster and outlasts painted stripes.



Stk.	Mfg.	Size	Color	Price
590346	VHT210	2" x 18 yd.	black/yellow	\$ 3.92
590364	VHT211	2" x 18 yd.	red/white	3.92
590347	WT2110	2" x 36 yd.	black/yellow	\$ 6.23
590365	WT2200	2" x 36 yd.	red/white	6.23

### Contractor-grade Nonskid Safety Tape

**Incom** High-traction tape with durable 46-grit aluminum oxide compound provides longevity for general purpose indoors/outdoors. Good water and chemical resistance.

Stk.	Mfg.	Size	Price
<b>Black Tape</b>			
478700	SG7002CB	2" x 60'	\$ 22.20
478701	SG7004CB	4" x 60'	44.30
478702	SG7006CB	6" x 60'	66.50
<b>Yellow/Black Striped Tape</b>			
478698	SG3902YB	2" x 60'	\$ 32.20
<b>Yellow/Black "Caution Watch Your Step" Tape</b>			
478710	SG8903PT	3" x 60'	\$ 60.40



## Safety Signs



### 'Caution Wet Floor' Sign

**Rubbermaid** Alert students to slippery floor conditions. Yellow 2-sided sign is printed in 4 languages (English, French, German & Spanish). Plastic sign folds flat.

26-1/2"H x 11"W x 1-1/2"T.

Stk. 942744	Mfg. 6112-YEL	.....	\$ 17.90
-------------	---------------	-------	----------

### Orange Traffic & Safety Cone

**MSA** Durable 1-piece, PVC cone stays flexible in all weather conditions. High-visibility fluorescent orange is ultraviolet stabilized for fade resistance. Stable high-density base. Meets MUTCD specifications.

11"L x 11"W x 18"H.

Stk. 943029	Mfg. 10073409	.....	\$ 14.60
-------------	---------------	-------	----------



### Laminated Safety Signs

**Safety Rules** Enforce your safety program with these clear, concise safety rules. Printed with black ink on bright yellow heavy stock paper. Signs are laminated for durability.

Stk.	Mfg.	Description	Price
<b>Shop Safety Rules. 17-1/2" x 22".</b>			
770380	AS-22	Auto Shop	\$ 12.80
770381	ES-22	Electronics Shop	12.80
770382	GS-22	General Shop	12.80
770383	MS-22	Metal Shop	12.80
770384	WS-22	Wood Shop	12.80
Stk. 560200	Mfg. MW-SRSS	.. Sign Set, 5/pkg.	\$ 55.00



## Safety Signs, cont.

### Laminated Safety Signs, cont.

**Safety Rules, cont.** Enforce your safety program with these clear, concise safety rules. Printed with black ink on bright yellow heavy stock paper. Signs are laminated for durability.



PLEASE NOTE there are 2 columns, each with its own Stk., Mfg. & Price.

Description	Stk.	Mfg.	Price	Stk.	Mfg.	Price
<b>General Shop Safety Rules</b>						
Eye Protection Required	770370	A...	\$ 5.81	770411	A...	\$ 2.97
Keep Guard in Place	770371	B...	5.81	770412	B...	2.97
Think! Accidents are Avoidable!	770372	C...	5.81	770413	C...	2.97
Keep Fingers Away From Moving Parts	770373	F...	5.81	770414	F...	2.97
Keep the Shop Clean and Orderly	770374	G...	5.81	770415	G...	2.97
No Running or "Horseplay" in the Shop	770375	H...	5.81	770416	H...	2.97
Do Not Bother Machine Operators	770376	J...	5.81	770417	J...	2.97
Put Tools Back in Their Proper Place	770377	K...	5.81	770418	K...	2.97
Machines Have No Brains. Use Yours!	770378	L...	5.81	770419	L...	2.97
Safety Instruction Required Before You Operate Machines	770379	M...	5.81	770420	M...	2.97
Stk. 560202	Mfg. MW-GSSP	8" x 11" Sign Set, 10/pkg.	\$ 43.00			
Stk. 560203	Mfg. MW-GSSP2	6" x 8" Sign Set, 10/pkg.	27.00			

<b>Machine Safety Rules</b>						
8" x 11"			6" x 8"			
Circular Saw	770385	1...	\$ 5.81	770421	1...	\$ 2.97
Jointer	770386	2...	5.81	770422	2...	2.97
Jig Saw	770387	3...	5.81	770423	3...	2.97
Band Saw	770388	4...	5.81	770424	4...	2.97
Wood Lathe	770389	5...	5.81	770426	5...	2.97
Radial Arm Saw	770390	6...	5.81	770427	6...	2.97
Disc/Belt Sander	770391	7...	5.81	770428	7...	2.97
Surfacer	770392	8...	5.81	770429	8...	2.97
Wood Shaper	770393	10...	5.81	770430	10...	2.97
Drill Press	770394	11...	5.81	770431	11...	2.97
Grinder	770395	12...	5.81	770432	12...	2.97
Gas Welding	770396	13...	5.81	770433	13...	2.97
Electric Welding	770397	14...	5.81	770434	14...	2.97
Metal Lathe	770398	15...	5.81	770435	15...	2.97
Milling Machine	770399	16...	5.81	770436	16...	2.97
Vertical Band Saw	770400	17...	5.81	770437	17...	2.97
Horizontal Band Saw	770401	20...	5.81	770438	20...	2.97
Stk. 560201	Mfg. MW-BSSP	8" x 11" Sign Set, 17/pkg.	\$ 75.00			
Stk. 560204	Mfg. MW-BSSP2	6" x 8" Sign Set, 17/pkg.	47.00			

### Mirror Brite Safety Signs

**Safety Rules** Heavy-duty, high-impact, 1/16" T plastic signs are very resistant to breaking, chemicals, weathering, etc., OSHA compliant, 4 corners rounded are holed. Order by sign number. Colors range from black on yellow, to green and black on white, to red and black on white.



Stk.	Mfg.	Description	Price
<b>Black on yellow. 10" x 14".</b>			
770402	313	Caution Do Not Talk To Operator	\$ 14.30
770403	361	Caution Do Not Operate Without Safety Glasses	14.30
770404	363	Caution Do Not Watch Arc	14.30
770405	366	Caution Wear Eye Protection	14.30
<b>Red on white. 10" x 14".</b>			
770406	101	Fire Extinguisher	\$ 14.30
<b>Green &amp; black on white. 10" x 14".</b>			
770407	627	Think The Safe Way Is The Best Way	\$ 14.30
<b>Danger General Shop Safety Signs. Red &amp; black on white. 10" x 14".</b>			
770408	403	Danger Flammable Materials	\$ 14.30
770409	481	Danger Acetylene	14.30
770410	483	Danger Hazardous Chemicals	14.30

## 6-point Ratchet Nylon Suspension Titanium™ Hard Hats

**Radians** Ratchet nylon suspension is easy to adjust and allows wearer to modify the fit while wearing. Lightweight polyethylene with impact-absorbing ridges. 3 vertical adjustments for proper crown height positioning. Rain trough channels water off cap. Universal accessory slots fit most cap mounted ear muffs. Washable, soft brow band.



Meets ANSI Z89.1-2003 standard, Type I, Class G & E.  
Stk. 687801 Mfg. 300-WNRS ..... white \$ 9.00  
Stk. 687800 Mfg. 300-ORNS ..... orange 9.00

## Drum Dolly

**JET** Smooth-rolling, strong and durable dolly easily transports a 55 gal. drum. All welded 1/8" x 2-1/8" steel frame with 3-1/8" cross straps. Replaceable heavy-duty zinc-plated casters feature single race bearings with 3" x 1-1/4" polyolefin tread to resist oil, water and impact. Zinc-plated nuts and bolts. Orange finish.



Stk. 485885 Mfg. DD-55 ..... \$ 97.50

## Fire/First Aid Blanket

**Steiner** Flame retardant, wool blanket with serge hems can be used to smother flames and cover injured students. Red nylon storage pouch is vinyl coated to withstand water, weather and cold. Also features carrying strap, 4 heavy-duty hanging grommets and a Velcro™ fastener.



Meets 16 CFR Part 1610 standard for flame retardant use.  
Stk. 884885 Mfg. BTPCO ..... 5'2" x 7' \$ 66.50

SAFETY PRODUCTS

## Safety Cans & Funnel

### Funnel

**Eagle** Funnel may be used with safety cans. Fits snugly as a spout or can be detached and used as a funnel. Self-venting.



Stk. 378469 Mfg. F-15 ..... 9"L \$ 7.38

### For Storing & Using

### Flammable Materials Type I Safety Cans

**Eagle** Spout has safety spring that closes cap tightly. Double-walled brass flame arrestor absorbs and dissipates hot air entering can to keep vapor temperature below ignition point. Attach self-venting 9" funnel for use as a spout.



Meets OSHA requirements.

Stk. 378134 Mfg. U1-10-FS ..... 1 gal. (10"H) \$ 54.50  
Stk. 378140 Mfg. U1-20-FS ..... 2 gal. (9-1/2"H) 56.80  
Stk. 378201 Mfg. U1-50-FS ..... 5 gal. (13-1/2"H) 62.50



## Safety Cans & Funnel, cont.

378211



378210



### Highly Rated for Safety Type II Safety Cans

**Eagle** Galvanized steel safety cans with

2 openings (1 pressure-relief spring-closing lid for filling & 1 actuated pour valve w/flexible metal spout for safer controlled dispensing). 7/8" flexible metal filler spout and flame arrestors in both openings are non-sparking brass designed for flashback protection.

FM, UL & ULC approved, meets OSHA & NFPA requirements.

Stk. **378210** Mfg. U2-26-S..... 2 gal. (9-1/2"H) **\$ 113.00**  
Stk. **378211** Mfg. U2-51-S..... 5 gal. (13-1/2"H) **115.00**

### For Temporary Storage of Liquid Wastes Type II Liquid Disposal Cans

**Eagle** High-density polyethylene cans have spout cap that covers a 4" opening and opens to a wide 80° angle which can be locked open for conveniently emptying various containers. Cans are equipped with stainless steel flame arrestor.

Cap assembly opens automatically to relieve excessive internal vapor pressure. Can's bottom has a reinforced band of heavy-gauge steel for extra strength. 12-1/2" body dia.

Both are FM approved.

Stk. **379370** Mfg. 1519..... 3 gal. (14-1/2"H) **\$ 216.00**  
Stk. **379375** Mfg. 1525..... 5 gal. (18-1/2"H) **234.00**



SAFETY PRODUCTS

### For Safe Disposal of Flammable Materials Red Oily Waste Cans

**Eagle** Combustion-safe can helps dispose of solvent and oily waste, rags and other material subject to spontaneous combustion. Convenient handles and foot lever. Sturdy polyethylene construction is designed for stability

Meets OSHA requirements & FM approved.

Stk.	Mfg.	Capacity	Height	Top Opening	Price
<b>379350</b>	933-FL	6 gal.	16"	16-1/2" x 13-1/2"	<b>\$ 72.50</b>
<b>379352</b>	935-FL	10 gal.	18"	22" x 18"	<b>86.00</b>



### Foot-operated, Self-closing Cover Oily Waste Cans

**Justrite** Combustion-safe can helps dispose of solvent and oily waste, rags and other material subject to spontaneous combustion.

Self-closing, hands-free cover snaps shut, stays shut when pedal is released. Lead-free galvanized steel body with reinforcing ribs. Round, raised can with flow-through base.

- 1-piece cover for disposal bag use
- 10-yr. mfr.'s warranty
- Trilingual safety label
- Bright red warning color
- Powder-coated paint finish
- Carry handle
- Lid opens to 60°

Meets OSHA requirements. FM & UL approved.

Stk. **492200** Mfg. 09100..... 6 gal. (15-7/8"H) **\$ 73.70**  
Stk. **492205** Mfg. 09300..... 10 gal. (18-1/4"H) **91.50**



## Safety Storage Cabinets

### Flammable Liquid Cabinets

**Eagle** Reinforced 18 ga. steel, double wall panel construction with 1-1/2" air space on top, sides, bottoms & doors.

- Yellow baked-on powder coat high gloss finish is lead-free
- Adjustable galvanized steel shelves support 350 lbs.
- Sturdy continuous piano door hinge
- 4 adjustable galvanized leveling legs
- Internal & external welded construction
- Meets OSHA & NFPA Code 30 specifications
- 2 vents w/2" threaded fittings have fire baffle & cap
- Red trilingual warning label
- 2" raised leakproof sill
- Ground connection
- 3-point key lock
- USA made

cabinets shown w/product, sold separately



1-door, manual-close



2-door, manual-close



sliding-door, self-close

FM approved.

Stk.	Mfg.	Cap'y.	Shelves*	W x H x D	Weight (lbs.)	Price
<b>1-Door, Manual-close Cabinet</b>						
<b>379486</b>	1961	60 gal.	2	31-1/4" x 65" x 31-1/4"	364...	<b>\$ 1,273.00</b>

\* 28" shelf depth.

**2-Door, Manual-close Cabinets. \*\*Includes safety cans w/funnels.**

<b>379407</b>	1932	30 gal.	1	43" x 44" x 18"*	247...	<b>\$ 889.00</b>
<b>379408</b>	1932SC6**	30 gal.	1	43" x 44" x 18"*	290...	<b>1,062.00</b>
<b>379474</b>	1947	45 gal.	2	43" x 65" x 18"*	342...	<b>1,101.00</b>
<b>379475</b>	1947SC9**	45 gal.	2	43" x 65" x 18"*	405...	<b>1,275.00</b>
<b>379487</b>	1962	60 gal.	2	31.25" x 65" x 31.25"	354...	<b>1,320.00</b>
<b>379488</b>	1962SC12**	60 gal.	2	31.25" x 65" x 31.25"	440...	<b>1,545.00</b>

\* 15" shelf depth for 1932, 1932SC6, 1947 & 1947SC9. \* 28-1/4" shelf depth for 1962 & 1962SC9.

\*\* Includes safety cans w/funnels (6 for 1962SC6, 9 for 1947SC9, 12 for 1946C12).

### Sliding Door, Self-close Cabinets

<b>379405</b>	1930	30 gal.	1	43" x 44" x 18"	253...	<b>\$ 976.00</b>
<b>379470</b>	1945*	45 gal.	2	43" x 65" x 18"	340...	<b>1,224.00</b>

\* 14-3/4" shelf depth.

### Paint & Ink Storage Cabinets, 2 Door, Manual-close

Includes wall mount bracket (YPI-77 only).

<b>379510</b>	YPI-77	30 gal.	5	43" x 65" x 12"	320...	<b>\$ 1,183.00</b>
<b>379506</b>	YPI-32	40 gal.	3	43" x 44" x 18"	281...	<b>948.00</b>
<b>379507</b>	YPI-47	60 gal.	5	43" x 65" x 18"	389...	<b>1,203.00</b>
<b>379508</b>	YPI-62	96 gal.	5	31.25" x 65" x 31.25"	412...	<b>1,508.00</b>

\* Shelf depths: 8-3/4" for YPI-77, 14-3/4" for YPI-32 & YPI-47, 28" for YPI-62.

### Undercounter Cabinet

Safely store flammables while optimizing work area with this compact under-counter safety cabinet. Designed to fit work and storage space, 1-shelf unit is ideal for placing under fume hood, counter, windows or in other unique applications. Self-closing doors.

FM approved. Shelf depth: 18-3/4".

Stk.	Mfg.	Cap'y.	Shelves	W x H x D	Weight (lbs.)	Price
<b>379495</b>	1970	22 gal.	1	35" x 35" x 22"	215....	<b>\$ 1,017.00</b>

shown w/countertop, not included



**Respirators, Dust Masks &  
Particulate Relief Masks, page 109.**

## Safety Storage Cabinets, cont.

### Flammable Liquid Cabinets, cont.

**Justrite** Sturdy 18-gauge steel, welded double-wall construction with 1-1/2" insulating air space. Self-close style features fusible links to hold doors open and concealed self-close mechanism for obstruction-free access.

- Yellow, lead-free epoxy/poly powder-coated, chemical-resistant paint (in/out)
- Adjustable galvanized steel shelves support 350 lbs.
- 10-yr. mfg.'s warranty • Meets FM, OSHA & NFPA Code 30 specifications
- Rounded door corners • Spill-catcher shelves adj. on 2-1/4" centers
- Dual vents w/ flame arrestors • Sturdy continuous piano door hinge
- 2" leakproof sill to capture spills • Red trilingual warning label
- 4 adjustable, wobble-free leveling feet • Ground connector
- Internal & external welded construction • USA made
- 3-point, self-latching, easy-close doors w/keys

cabinets shown w/product, sold separately



2 door, manual-close

2-door, self-close

sliding door, self-close

Codes state that not more than 60 gal. may be Class I & Class II liquids. Uniform Fire Code approved.

Stk.	Mfg.	Cap'y.	Shelves*	W x H x D	Weight (lbs.)	Price
<b>2 Door, Manual-close Cabinets</b>						
492265	893000	30 gal.	1	43" x 44" x 18"	231...	\$ 816.00
492268	894500	45 gal.	2	43" x 65" x 18"	310...	1,010.00
492277	896000	60 gal.	2	34" x 65" x 34"	387...	1,216.00
<b>2 Door, Self-close Cabinets</b>						
492266	893020	30 gal.	1	43" x 44" x 18"	237...	\$ 913.00
492269	894520	45 gal.	2	43" x 65" x 18"	313...	1,110.00
492279	896020	60 gal.	2	34" x 65" x 34"	392...	1,322.00

### Sliding Door, Self-close Cabinets

492273	893080	30 gal.	1	43" x 44" x 18"	246...	\$ 1,357.00
492274	894580	45 gal.	2	43" x 65" x 18"	330...	1,561.00
492280	896080	60 gal.	2	34" x 65" x 34"	405...	1,971.00

15" shelf depth for 30 & 45 gal. cabinets. 30" shelf depth for 60 gal. cabinets.

### Undercounter Cabinet

Conveniently locate liquids near work areas with quick-access undercounter space for safe storage of flammables. Cabinet is sized and fitted with a recessed kickplate (3-1/2"H x 2-1/2"D) to mount flush with other cabinetry.



Leveling feet adjust to 1-1/8" for alignment on uneven floors. Cabinet height raises 5/8" with leg levers fully extended.

Stk.	Mfg.	Cap'y.	Shelves*	W x H x D	Weight (lbs.)	Price
492292	892300	22 gal.	1	35" x 35" x 22"	190.....	\$ 765.00

\* 19" shelf depth.

### Wall Mount Cabinet

Make the most of usable storage space. Ideal for storing small containers near work areas without taking up extra floor space. Eye level positioning allows for easy access to solvents. 5 adjustable shelves accommodate multiple containers. 2-door manual-opening cabinet.

Includes wall mounting hardware.



Stk.	Mfg.	Cap'y.	Shelves*	W x H x D	Weight (lbs.)	Price
492291	893400	20 gal.	5	43" x 44" x 12"	221.....	\$ 988.00

\* 9" shelf depth.

### Piggyback Cabinet

Stackable cabinets provide additional storage for flammables without taking up valuable floor space. They solve incompatibility concerns and expand storage by safely segregate liquids.

492293 shown on top



Mount on top of Justrite's standard 30- and 45-gal. manual or self-close cabinets (do not mount on sliding door cabinets). Can also be used singly as a bench top cabinet or mount on the wall with optional Wall Hanger Assembly Kit (sold separately).

Stk.	Mfg.	Cap'y.	Shelves*	W x H x D	Weight (lbs.)	Price
492293	891300	12 gal.	0	43" x 18" x 18"	129 ..	\$ 638.00
492295	891700	17 gal.	1*	43" x 24" x 18"	157 ..	728.00

\* 15" shelf depth.

Stk. 492299 Mfg. 25950..... Wall Hanger Assembly Kit \$ 87.70



### Aerosol Can Bench Top Cabinet

**Justrite** Safe, hassle-free organization of aerosol cans. Sturdy 18 ga. steel, welded double-wall construction with 1-1/2" insulating air space. Finished inside-and-out with a durable, lead-free, hybrid epoxy/polyester

powder paint for chemical resistance.

24 ga. galvanized steel roll-out shelves with easy-glide plastic rollers and stop guard protection. 2 fixed-position holders have twelve 2-3/4" dia. openings, accept cans up to 10" tall, and remove for easy cleaning. Door with U-Loc™ flush-mounted, gripper pad lockable handle (double key set), and Haz-Alert™ warning label.

Stk.	Mfg.	Cap'y.	Shelves	W x H x D	Weight (lbs.)	Price
492289	890500	24 cans	2	21" x 27" x 18"	62.....	\$ 1,005.00

### Corrosives Safety Cabinets

#### Steel Cabinets for Corrosives



**Justrite** Safe, compliant storage for corrosives, but with the same features as the Flammable Liquid Cabinets. With the same features of the liquid cabinets, steel cabinets resist aggressive chemicals, acid cabinets include polyethylene trays attached to galvanized steel shelves and a separate polyethylene liner for the bottom sump.

The liner can be removed for easy cleaning of drips and leaks.

Extra polyethylene top work tray (893002 only) can be secured to cabinet top for a handy work surface. All-epoxy, baked-on powder coat finish is exclusively formulated to resist the acids, bases and solvents. 2 door, manual-opening cabinet.

Stk.	Mfg.	Cap'y.	Shelves*	W x H x D	Weight (lbs.)	Price
492288	893002	30 gal.	1	43" x 44" x 18"	233 ..	\$ 951.00
492290	894502	45 gal.	2	43" x 65" x 18"	316 ..	1,124.00

\* 15" shelf depth.

#### Protect Students from Acids & Corrosives Polyethylene Undercounter Cabinet



**Eagle** Keep shop areas safe from harmful acid vapors and spills – including sulfuric, nitric and hydrochloric acids – with this non-metallic Poly Acid Cabinet constructed of 100% polyethylene. Internal and top sump capacities of at least 1 gal.

- Doors feature shelving for small containers, locks, handles, two 2" poly vents w/caps & a drip edge that keep drips in the cabinet
- Finish is smooth for easy cleaning & comes in blue
- Cabinet has 4 poly leveling legs, recessed front base, adjustable poly shelves & a center partition that divides each side

Stk.	Mfg.	Cap'y.	Shelves	W x H x D	Weight (lbs.)	Price
379500	CRA-P22	22 gal.	2	35" x 36" x 22"	95.....	\$ 1,089.00

## Power Safety Controls



### 2 Great Models Provide Student Safety Easy Off™ Power Controls

**ReiTech** Big easy-to-see shut-off control mounts right to your equipment. It provides a safer, easier way to control table saws, shapers and most types of equipment. It's simple, convenient and may save students from serious injury. Can be locked to prevent unauthorized use.

- 100x larger than conventional push-button controls
- UL listed
- 5-yr. mfg.'s warranty
- Hands-free shut-off

Requires mounting bracket, not included. Call us for assistance.

Stk.	Mfg.	For Machines Requiring:	Price
<b>EZO-PP</b>		For machines that plug into standard 15 amp, 120VAC outlet & require power outage protection, but are w/out magnetic controls.	
<b>687920</b>	EZO-PP	120V, 1-phase	<b>\$ 378.00</b>
<b>EZO-MS</b>		Pilot device for machines w/magnetic starters up to 600VAC.	
<b>687900</b>	EZO-MS	120V, 1-phase & 208-460V, 3-phase	<b>\$ 195.00</b>



### Controls Dust Collection Automatically iVac Switch Box

**MBright** iVac (*Intelligent Vacuum*) increases work shop cleanliness and safety by eliminating the distraction of turning dust collection system (DCS) on and off while operating potentially dangerous power tools. Easy-to-use unit features a 3-position switch (*auto, on & off*).

- Auto Mode starts DCS system when power tool is activated
- On Mode keeps DCS on for easy end-of-job cleanup
- Off Mode causes DCS to be off
- Turn on delay (*0.5 to 2.0 sec.*) avoids dual power surges from DCS & power tools being activated simultaneously
- Turn off delay (*6 sec.*) clears any remaining airborne debris
- 2 input power cords accommodate situations when large tools & DCS require more than the standard 15 amp AC outlet (*each cord has built-in circuit breaker protection*)
- Extends DCS life since it isn't inadvertently left on when not needed
- Compact, lightweight unit is easily wall mounted

ETL Safety Approval. Conforms to UL STD 244A & CSA STDC22.2 No. 14.  
Stk. **529500** Mfg. IVACSWITCH..... **\$ 47.00**



**485650**                      **485651**                      **485652 & 485653**

Prevent Equipment from Restarting After a Power Interruption

### Restart Safety Plugs

**JDS Products** The easy-to-install, inexpensive solution to anti-automatic restarts safety, without the high cost of magnetic motor starters. The Sensing-Saf-Start® Plug prevents equipment restart following a power interruption, and will not allow a reset until the equipment switch has been turned off.

- Complies w/latest OSHA & NFPA safety standards
- Offers electrical disconnect compliance by unplugging
- Plugs into machine power cord & plug (*Model 1996*)
- Replaces old, frayed, ungrounded power cords (*Models 1997, 98, 99*)
- Upgrades small machines to meet latest safety requirements

#### • Installs in minutes on:

drill presses      belt/disc sanders      band & scroll saws  
tool grinders      radial arm saws      small milling machines  
power hacksaws      cut-off machines      table saw      small lathes

**Model 1996.** For 120V machines w/a good power cord & plug (*when cord is not frayed & plug has a ground pin*). **Includes** short extension-cord style, 14" cord on male plug end, 12" cord on female receptacle end.

Stk.	Mfg.	Volts	Amps	Price
<b>485650</b>	1996	120	15	<b>\$ 91.80</b>

**Model 1997.** For all 120V machines w/an old cord &/or you want the reset button closer to the machine for easy access, but still plugged into a duplex-type outlet. Plug is on the end of the 8' cord. **Includes** 20" cord on equip. switch end, 8' cord w/molded plug on power end.

Stk.	Mfg.	Volts	Amps	Price
<b>485651</b>	1997	120	15	<b>\$ 91.80</b>

#### Models 1998 & 1999

**Model 1998.** For 120V machines w/an old cord &/or you want to connect to a disconnect box, or install either a 20 amp or twisting lock-type plug on the cord. Sensing-Saf-Start housing is located close to the machine w/out a plug on the end of the 8' cord. **Includes** 20" cord on equip. switch end, 8' cord on power end (*no plug*).

**Model 1999.** For 200-240V machines (*3-wire*). You must install any matching plugs on the power cord. **Includes** 20" cord on equip. switch end, 8' cord on power end (*no plug*).

Stk.	Mfg.	Volts	Amps	Price
<b>485652</b>	1998	120	18	<b>\$ 91.80</b>
<b>485653</b>	1999	200-240	15	<b>91.80</b>

SAFETY PRODUCTS

### Need to store small items?

See our **Storage Bins**, pages 73-74.  
For **Cabinet Storage**, see pages 59-72.

### Eye Protection for Students

Receive quantity savings on  
**Safety Glasses & Goggles**, pages 103-106.  
Find **Faceshields** on pages 106-107.

### Quick-find Index to our Most Popular Woodworking Machines

Drill Press	297
Finishing Machines	346
Jointers	334
Lathes	358
Planers	338
Saws: Band	303
Miter	318
Panel	317
Scroll	311
Table/Contractor/Tilting Arbor	328

