

SMALL ENGINE

Table of Contents • Pages 440-445

B

Blade Balancer	442
Bolt Thread Repair Kit	444
Book, Small Engine	
Repair Manual	445
Textbook	444-445

Briggs & Stratton

Replacement Parts	440
Small Gasoline Engine	440

C

Carburetor	
Adjusting Tool	442
Screwdriver	442
Clutch Wrench	442
Compressor,	
Piston Ring	444
Valve Spring	443
Cylinder	
Gauge	442
Hone	442-443

D

Distributor Adjusting Tool	442
DVD,	
Safety	445
Small Engine	445

E

Engine, Small Gasoline	440
Expander, Piston Ring	444

F

Flywheel Puller	442
Fuel Line/Vapor Emission Hose	441

G

Gasoline Engine, Small	440
Gauge, Cylinder	442
Grinder, Valve	443

H

Heli-Coil Thread Repair	444
Hone, Cylinder	442-443
Hose, Fuel Line/Vapor Emission	441

I

Insertor,	
Magnetic Key	443
Valve Spring Keeper	443

K

Key Insertor, Magnetic	443
Kit, Small Engine Tools	442

L

Lapper, Valve	443
Lifter, Valve	443

M

Magnetic Key Insertor	443
Module, Vocational Training Sm. Eng. Repair	445

O - P

O-Ring	
Assortment	441
Tool	444
Panel, Tool	442
Pilot & Wheel Set	444
Piston	
Groove Cleaner	444
Ring	
Compressor	444
Expander	444
Groove Cleaner	444
Vise	443
Plug Gauge	442
Plug, Spark	441

R

Reamer, Ridge	443
Refacing Tool, Valve	443-444
Ridge Reamer	443
Ring	
Compressor, Piston	444
Expander, Piston	444

S

Safety DVD	445
Screw Thread Repair Kit	444
Screwdriver,	
Carburetor	442
Small Engine	442
Small Engine	
DVD	445
Parts	440
Repair	
Activity Set	445
Manual	445
Stand	440
Text Book	444-445
Tools	442-444
Tool Panel	442
Spark Plug	441
Spring	
Compressor, Valve	443
Remover, Valve	444
Stand, Small Engine	440

T

Tachometer, Small Engine	442
Thread Repair Kit	444
Tool Panel, Small Motor	442
Torque Wrench, Small Engine	442

V

Valve	
Grinder	443
Grinding Compound	443
Guide Repair Tools	442
Lapper	443
Lifter	443
Refacing Tool	443-444
Seat Cutter Kit	444
Spring	
Compressor	443
Keeper Insertor	443
Remover	444
Vise, Piston	443
Vocational Module, Training Sm. Eng. Repair	445

W

Wheel & Pilot Set	444
-------------------------	-----

Small Engine

Gasoline Engines	440
Engine Replacement Parts	440
Engine Tools & Supplies	442
Software, Books & DVDs	444
Small Engine Replacement Parts	440

Art used w/permission © Copyright Briggs & Stratton Corp.

Gas Engines

* Engine power levels are stated Gross Torque per SAE J1940, rather than HP. Torque is an accurate measure of the force required to turn the motor shaft.

Briggs & Stratton

5.25 Ft./Lbs. Gross Torque* (Replaces 3.5 HP) 525 Series™ Engine

Float carburetor and maintenance-free Magnatron® electronic ignition for quick, dependable starts. Designed for light- and mid-duty utility applications.

- Easy-Spin® compression release
- Kool Bore™ aluminum alloy bore for cooler operation
- Maxi-Clean™ pleated paper air filter provides superior protection for long engine life
- Lube Power™ gear driven lubrication system continuously supplies oil to all internal parts



Stk.	Mfg.	Displacmnt.	Bore	Stroke	Fuel Tank	Oil Cap'y. (fl. oz.)	Price
228248	97332-0035*	9.02 cu.in	2.56"	1.75"	2.2 qts.	20.....	\$ 234.00

9.00 Ft./Lbs. Gross Torque* (Replaces 6.5 HP) 900 Series™ CARB Compliant Engine

6:1 gear reduction makes engine ideal for cement mixers and pumps. EPA/CARB compliant engine is good for sale in all states (including California). Dura-Bore™ cast iron cylinder sleeve for extended life.

- Maintenance-free Magnatron® electronic ignition & float carburetor for quick, dependable starts
- Dual-Clean™ air cleaner pleated paper filter w/foam precleaner provides superior protection for long life
- Overhead valve (OHV) design for cooler operation, longer life



Stk.	Mfg.	Displacmnt.	Bore	Stroke	Fuel Tank	Oil Cap'y. (fl. oz.)	Price
228254	122032-0536	12.48 cu.in	2.69"	2.20"	2.9 qts.	20.....	\$ 304.00

6.75 Ft./Lbs. Gross Torque* (Replaces 6.5 HP) 675 Series™ Engine

No priming or choking required with Ready-Start® one-pull system. Delivers greater power and torque for mid- to heavy-duty applications.

- Large diameter rewind starter requires less pulling force
- Maxi-Clean™ pleated paper air filter provides superior protection for long engine life
- Lo-Tone™ muffler for quieter operation



Stk.	Mfg.	Displacmnt.	Bore	Stroke	Fuel Tank	Oil Cap'y. (fl. oz.)	Price
228249	126L02-1015	11.57 cu.in	2.69"	2.04"	1.6 qts.	20.....	\$ 223.00

Gas Engines, cont.

Gas Engine Accessories

Briggs & Stratton, cont.

Repair Manual. For Briggs & Stratton 1-cylinder, 4-cycle engines.
Stk. 204340 Mfg. 270962..... \$ 17.00



Greene Small Engine Stand. Heavy-gauge steel stand adjusts to secure horizontal or vertical engines. Pre-drilled mounting bracket. All welded construction. Gray. 9-1/2" x 10" x 4".
Stk. 433655 Mfg. EL-40 \$ 105.00

Small Engine Replacement Parts

Briggs & Stratton



Air Filter Elements

Stk. 203203 Mfg. 27987S 2 to 5 HP Horizontal \$ 3.98
Stk. 203206 Mfg. 270579S 3 to 3.5 HP Vertical 3.67

Air Filter Cartridges


For 2 to 5 HP Horizontal & Vertical
Stk. 203215 Mfg. 392308S..... \$ 8.25

For 3 to 5 HP horizontal, 3.5 to 6 HP (12 CID) Quantum® & 6 HP (13 CID) vertical.

Stk. 203221 Mfg. 491588S..... \$ 4.68

Head Gasket

Stk. 203207 Mfg. 272157S 5 HP Horizontal & Vertical \$ 3.81



Engine Gasket Sets

Stk. 203209 Mfg. 794209 3 to 3.5 HP Vertical \$ 11.60
Stk. 203220 Mfg. 495602 2 to 3.5 HP Horizontal 20.50

Stk. 203245 Mfg. 794307 for 126L02 \$ 16.40
Stk. 203242 Mfg. 791797 for 122032 44.20

Stk. 203244 Mfg. 795971 for 97332 25.70

Valve Gasket Sets


Stk. 203240 Mfg. 498525 for 97332 \$ 13.10
Stk. 203241 Mfg. 498528 for 126L02 10.20

Stk. 203243 Mfg. 791798 for 122032 20.50

203190 203208

Magnatron Armatures. Horizontal & vertical.

Stk. 203190 Mfg. 793281.. 2 to 4 HP \$ 32.10
Stk. 203222 Mfg. 397358..... 5 HP 35.70



Condenser & Breaker Assemblies

Stk. 203208 Mfg. 294628..... 2 to 8 HP Horizontal & Vertical \$ 7.10
Stk. 203211 Mfg. 299061 w/plug & plunger 14.30

Starter Ropes. 200'L.

Stk. 203212 Mfg. 790965 #4 \$ 25.80
Stk. 203213 Mfg. 790966..... #4-1/2 26.50



Small Engine Replacement Parts, cont.

Briggs & Stratton, cont.



Needle Valves


Stk. **203210** Mfg. 299060 3 to 5 HP Horizontal & Vertical **\$ 6.52**
 Stk. **203217** Mfg. 395508 3 to 4 HP Vertical **4.37**

Starter Clutch. For most rewind starter engines.

Stk. **203218** Mfg. 399671 **\$ 15.60**

Recoil Spring. For most rewind starter engines w/starter clutch.

Stk. **203219** Mfg. 490179 **\$ 6.21**



Diaphragms

Stk. **203205** Mfg. 270026 3 to 5 HP Horizontal **\$ 3.36**
 Stk. **203214** Mfg. 391681 3.5 to 4 HP Vertical **6.03**

Pulsa Prime Carburetor Diaphragm

Stk. **203225** Mfg. 795083 for 3 to 3.75 HP vertical **\$ 3.51**

Magnetron® Kit. For retrofitting most 2-legged ignition armatures w/breaker points.

Stk. **203216** Mfg. 394970 **\$ 16.80**

Flywheel Key

Stk. **203204** Mfg. 222698S for most engines **\$ 2.40**



Starter Pinion Gear. Use w/plastic flywheel ring gears.

Stk. **203230** Mfg. 695708 **\$ 4.43**

Champion Spark Plugs. Small engine spark plug.

Stk. **942879** Mfg. 12443 J8C **\$ 3.00**
 Stk. **942807** Mfg. 12444 CJ8 **2.98**
 Stk. **942808** Mfg. 12446 J17LM **3.12**
 Stk. **942670** Mfg. 13497 RC14YC **3.34**
 Stk. **942671** Mfg. 12452 RJ19LM **3.92**

Fuel Line / Vapor Emission Hoses. Nitrile tube suitable for lead or unleaded gasoline, plus many Ethanol & Methanol-based gasohol blends (not for use w/fuel injected systems). Meets or exceeds SAE30R7 specifications. 25' L.

Stk. **942876** Mfg. 25060 1/4" **\$ 30.70**
 Stk. **942877** Mfg. 25078 5/16" **33.00**
 Stk. **942878** Mfg. 25088 3/8" **37.60**

Fastener Barn



Roll Pin Assortment. Replaces most pin requirements. Carbon steel pins w/plain finish. 315 assorted pins. Includes case w/informational lid & roll pins:

Qty.	Dia.	Sizes	Qty.	Dia.	Sizes
10	5/32"	5/8", 1" & 1-1/2"	10	5/64"	1/4", 1/2" & 1"
10	1/16"	3/16", 3/4" & 5/16"	10	3/32"	5/8", 1" & 1-1/4"
15	1/8"	5/8", 1" & 1-1/4"	10	1/4"	5/8", 1-1/4" & 1-3/4"
10	5/16"	3/4", 1-1/2" & 2"	5	3/8"	3/4", 1-1/2" & 2"
10	7/32"	5/8", 1-1/4" & 1-3/4"	15	3/16"	5/8", 1" & 1-1/4"

Stk. **485530** Mfg. RP99 315/pkg. **\$ 35.30**

Fastener Barn, cont.

O-Ring Assortment. For auto, small engine lawn mower, industrial & implement needs. Made of Buna-N, 70 durometer. Includes case w/informational lid & O-rings:

Qty.	Inside Dia.	Outside Dia.	Thickness	Qty.	Inside Dia.	Outside Dia.	Thickness
20	1/8"	1/4"	1/16"	20	5/32"	9/32"	1/16"
20	3/16"	5/16"	1/16"	15	7/32"	11/32"	1/16"
15	1/4"	3/8"	1/16"	15	5/16"	7/16"	1/16"
10	3/8"	1/2"	1/16"	10	3/8"	9/16"	3/32"
10	7/16"	5/8"	3/32"	10	1/2"	11/16"	3/32"
10	9/16"	3/4"	3/32"	10	5/8"	13/16"	3/32"
10	11/16"	7/8"	3/32"	10	3/4"	15/16"	3/32"
10	3/4"	1"	1/8"	10	13/16"	1-1/16"	1/8"
10	7/8"	1-1/8"	1/8"	10	15/16"	1-3/16"	1/8"

Stk. **485525** Mfg. OR99 225/pkg. **\$ 24.70**

Snap Ring Assortment. High-quality carbon spring steel. Includes case w/informational lid & snap rings:

Qty.	Size	Dia.	Qty.	Size	Dia.	Qty.	Size	Dia.
30	1/4"	.250	20	5/16"	.312	50	3/8"	.375
20	7/16"	.438	50	1/2"	.500	20	9/16"	.562
30	5/8"	.625	35	3/4"	.750	10	13/16"	.812
20	7/8"	.875	10	1"	1.000	5	1-1/4"	1.250

Stk. **485542** Mfg. SR99 300/pkg. **\$ 34.30**



Square Key Assortment Carbon steel keys w/square ends. All 1-1/2" L. Includes case w/informational lid & square keys:

Qty.	Size	Qty.	Size	Qty.	Size
15	1/8" x 1/8"	15	3/16" x 3/16"	10	1/4" x 1/4"
10	5/16" x 5/16"	5	3/8" x 3/8"	5	1/2" x 1/2"

Stk. **485538** Mfg. SK99 60/pkg. **\$ 45.00**

Shop Assortment. Includes 25 "E" clips (1/4"D & 3/8"D), case w/informational lid & assortment:

Woodruff Keys	Roll Pins	Snap Rings
25) 3/32" x 3/8"	20) 1/8" dia. x 5/8" L	25) 3/8" dia.
25) 3/32" x 1/2"	20) 1/8" dia. x 1" L	25) 1/2" dia.
25) 1/8" x 1/2"	20) 5/32" dia. x 5/8" L	25) 5/8" dia.
40) 1/8" x 5/8"	20) 5/32" dia. x 1" L	25) 3/4" dia.
50) 5/32" x 5/8"	20) 3/16" dia. x 5/8" L	
25) 3/16" X 3/4"	20) 3/16" dia. x 1" L	

Stk. **485535** Mfg. SA99 460/pkg. **\$ 43.20**

Woodruff Key Assortment. Carbon steel, standard half-moon keys. Includes case w/informational lid & woodruff keys:

Qty.	Length	Each of Width	Each of Width	Each of Width	Each of Width
40	3/8"	10 of 1/6"	20 of 3/32"	10 of 1/8"	—
40	1/2"	10 of 1/6"	15 of 3/32"	15 of 1/8"	—
95	5/8"	10 of 3/32"	30 of 1/8"	50 of 5/32"	5 of 3/16"
55	3/4"	20 of 1/8"	10 of 3/4"	20 of 3/16"	5 of 1/4"
20	7/8"	5 of 5/32"	5 of 3/16"	5 of 7/32"	5 of 1/4"

Stk. **485555** Mfg. WK99 250/pkg. **\$ 42.30**

Need to store small items?
 See our **Storage Bins**, pages 73-74.
 For **Cabinet Storage**, see pages 59-72.

Small Engine Tools

Small Engine Tool Kit

Briggs & Stratton Handy kit full of tools for repairing and working on 2 and 4 cycle gas engines.

Includes

- | | |
|---------------------------------------|--|
| Brake Adjustment Gauge | Plug Gauge (fits 5/16" valve guide) |
| Carburetor Adjustment Screwdriver | Plug Gauge (fits 1/4" valve guide) |
| Carburetor Jet Screwdriver (4 bladed) | Starter Clutch Wrench |
| Flywheel Holder | Tachometer |
| Flywheel Puller (6.5 HP & below) | Tang Bender |
| Flywheel Puller (7-11 HP) | Tool Catalog |
| Flywheel Puller (10.5-22 HP) | Valve Lapper (3/4", 1-1/4" suction cups) |
| Ignition Tester | Valve Lapping Compound |
| Piston Ring Compressor (5 HP & below) | Valve Lubricant |
| Piston Ring Compressor (above 5 HP) | Valve Spring Compressor |
| Stk. 204315 Mfg. 19300..... | 20-piece kit \$ 501.00 |

Tachometers

Briggs & Stratton 800 to 50,000 rpm, 14 to 750 cycles. Vest pocket meter transforms vibration into rpm in a straight-forward gauge.

Stk. **204136** Mfg. 19200 **\$ 31.40**



KD Tools Hand-held unit checks revolution speed on diesels, pumps, compressors, power take-offs, etc. 100 to 4,000 clockwise or counterclockwise. 2-3/4" dia., 4-1/4"L.


Stk. **432780** Mfg. 2967..... **\$ 137.00**



Ignition Spark Tester

Briggs & Stratton

Stk. **203000** Mfg. 19368..... **\$ 25.10**



Carburetor Jet Screwdrivers

Briggs & Stratton For removing most carburetor jets.

Stk. **203335** Mfg. 19061 3/16" x 5" **\$ 16.40**
 Stk. **203402** Mfg. 19062..... 1/4" x 5-3/4" **17.40**



Distributor & Carburetor Adjusting Tool

Zim 1/8" hex bit and screw drive adapter.

Stk. **988541** Mfg. 730 11"L **\$ 10.50**



Torque Wrench

Briggs & Stratton Range is 0 to 300 inch lb.

Stk. **204327** Mfg. 19393..... **\$ 103.00**



Valve Guide Repair Kit

Briggs & Stratton For servicing 5/16" valve guides above 5 HP.

Includes plug gauge, bushing driver, counter-bore reamer, finish counterbore reamer, guide, puller bolt, nut, washer & 9mm tap.

Stk. **204208** Mfg. 19232..... **\$ 147.00**



Plug Gauges

Briggs & Stratton

Stk. **203871** Mfg. 19122 fits 1/4" valve guide **\$ 10.60**
 Stk. **203938** Mfg. 19151 fits 5/16" valve guide **21.40**



Blade Balancer

Arnold For checking the balance of the blade after sharpening. Allows for optimum cutting performance.

Stk. **942809** Mfg. SBB-102 **\$ 3.34**



Clutch Wrench

Briggs & Stratton Removes rewind starter clutches.

Stk. **204273** Mfg. 19244 **\$ 16.40**



Flywheel Pullers

Briggs & Stratton


Stk.	Mfg.	Fits	Price
203737	19069	small L-head engines to 6.5 HP & Europa ...	\$ 11.30
204005	19165	7 to 8 HP L-head engines & early 11 HP....	12.80
204139	19203	larger L-head & most OHV engines	14.90



Small Motor Tool Panel

Zim Includes 19" x 25" panel, plus:

- Valve Refacer
 - Cylinder Gauge
 - Valve Grinder
 - Piston Ring Expander
 - Vacuum Cup Valve Grinder
 - Piston Ring Compressor
 - Cylinder Ridge Reamer
 - Cylinder Hone
 - Valve Spring Compressor
 - Piston Groove Cutter & Cleaner
 - Magnetic Key Inserter
 - Gear Puller
- Stk. **987067** Mfg. SD-2 12-piece tool set, plus panel **\$ 277.00**



Cylinder Gauge

Zim Cylinder gauge for small engines, 1-3/4" to 3-1/4". May be preset to zero for checking small engines. Gauge, setter and 2 extension parts furnished in a plastic case with instructions. For Briggs & Stratton and other small engines.

Stk. **987469** Mfg. 165..... **\$ 110.00**



Cylinder Hone Set

Lisle Small cylinder hone for 1-3/4" to 2-3/4" cylinders. Stones are 3-1/2"L, assuring unusual accuracy. 3-Stone Set covers a full range of cylinder sizes and are easily changed.

Includes 16410, 16420 & 16430, 180 grit stone sets & case.
 Stk. **503812** Mfg. 16000 **\$ 218.00**

Replacement Stones & Wiper Sets. Includes 2 stones & 2 wipers. 180 grit. 3-1/2"L.

Stk. **503814** Mfg. 16410 1.75" to 2.2" cylinder range **\$ 22.10**
 Stk. **503816** Mfg. 16420 2.05" to 2.5" cylinder range **22.10**
 Stk. **503818** Mfg. 16430 2.35" to 2.75" cylinder range **22.10**



Small Engine Tools, cont.

Self-aligning Small Cylinder Hone



Zim Range 3/4" to 2-3/4". No adapters needed to change size. An adjustment controls pressure in any size cylinder.

Flexible shaft allows you to hone cylinders without removing the engines. Complete w/honing stones. Plated finish.

Stk. **988273** Mfg. 540..... 7-3/4"L **\$ 23.90**
 Stk. **988340** Mfg. 541..... Replacement Honing Stone Set **6.09**

Piston Vise

Zim Used to hold pistons, armatures or anything circular. Jaws lined with brake lining. Pistons can't be scratched or injured. Piston range 2-1/2" x 5-1/2". New rings can be installed without removing the connecting rod.



Stk. **987860** Mfg. 260..... **\$ 72.50**

Ridge Reamer

Zim Designed to cut clear across the ridge. Employs a tilting combination cutter and stop.



Stk. **987871** Mfg. 287..... range 2" to 3" **\$ 48.00**
 Stk. **987268** Mfg. P-70..... Replacement Cutter **2.71**

Split Valve Spring Keeper Inserter

Zim Steel universal tool for inserting all sizes of split and horseshoe type keepers. 1-Hand operation works straight in or at an angle.



Stk. **988608** Mfg. 820..... **\$ 8.03**

Magnetic Key Inserters

Zim For replacing split valve keys. Permanent magnets hold key snugly in the jaws of a pair of spring control levers on nonmagnetic stainless steel.



Stk. **988675** Mfg. 840..... **\$ 12.50**

Zim For Briggs & Stratton engines. 1 end is equipped with a permanent magnet for holding split valve locks. Other end is made to hold the locking pins used on some motors.



Stk. **988742** Mfg. 842..... **\$ 7.86**

Valve Grinders

Zim Special valve grinding bit, small spring and small vacuum cup, plus small and large self-locking stems.



Stk. **987938** Mfg. 301S..... **\$ 15.70**

Zim 3/4" dia. cup.

Stk. **988005** Mfg. 311..... **\$ 2.42**

Replacement Cup. For Valve Grinders above.

Stk. **988072** Mfg. 333..... **\$.99**

Valve Lappers

Lisle Lappers eliminate slippage. The unique locking tab positively secures cups to sturdy, hardwood handles.



Stk. **503833** Mfg. 21100..... 1-1/8" & 1-3/8" dia. cups (for larger valves) **\$ 7.49**
 Stk. **503835** Mfg. 21200..... 5/8" & 13/16" dia. cups (for smaller valves) **7.28**

Valve Grinding Compound

Briggs & Stratton Aids valve grinding and seating operations to remove burrs, surface defects, carbon, gum and corrosion. Can be used for lapping and grinding chromium. For hardened steel seats or cast blocks. Use for hand or machine grinding. Mixes with water to form an easy-to-use paste.



Includes fine & coarse valve grinding compounds.

Stk. **228375** Mfg. 94150..... two 2 oz. cans **\$ 19.00**

Valve Spring Compressors

Zim For removing and replacing valve springs on Briggs & Stratton engines. Reaches into small recesses where valve springs and retaining washers are located. Arms, hinged together at one end, are practically parallel at the other. Cadmium-plated. Made entirely of steel.



Stk. **987402** Mfg. 131..... **\$ 18.10**

Lisle Tool makes spring compression and keeper removal simple because it doesn't require removal of the head. Adjustable cam action. No need to readjust the tool after each spring.



Stk. **503822** Mfg. 16750..... **\$ 41.10**

Lisle For springs 3/4" to 1-1/16". Rigid, heavy-duty frame and screw. 2 jaw sizes. Fits Briggs and Stratton, Clinton, Harley-Davidson, etc.



Stk. **503841** Mfg. 23300..... **\$ 22.00**

Valve Lifter

Zim 1-Hand, lightweight lifter for handling valve spring keepers. Ratchet locks automatically at any position. 9" throat with full opening. 9" to handle most cars and lighter trucks. Cold rolled steel frame, hardened jaws.



Includes 2 adjustable jaw sets.

Stk. **987300** Mfg. 116..... **\$ 46.10**

Valve Lifter & Spring Compressor

Zim Turn hand wheel counterclockwise to compress, and clockwise to lift a spring. No ratchet is needed. All steel except handle. Heat-treated.

spring shown open spring shown compressed



Stk. **987335** Mfg. 122..... **\$ 20.00**

Valve Refacer

Zim Clamp directs the main spring into the machined V-block. Hold in a vise or screw to a bench.



Includes carbide cutter for small engine valves.

Stk. **988206** Mfg. 516..... **\$ 22.80**
 Stk. **988139** Mfg. 515..... Replacement Cutter **9.66**

Valve Refacing Lathe

Zim Hand operated lathe is compact, chatter and vibration proof. Handles 30°, 45° and 60° angle valves with up to 3/8" stems and valve heads to 2-1/4" dia. 2 universal joints are in the shaft. Feed is reversible and can cut in either direction. Base holes for work bench attachment. Lugs for use in vise.



Includes Jacobs chuck, carbide cutter & adjustable slide.

Stk. **988225** Mfg. 525..... **\$ 452.00**
 Stk. **988228** Mfg. 526..... Replacement Cutter **23.90**

SMALL ENGINE



Small Engine Tools, cont.

Deluxe Valve Refacer

Kwik-Way Fingertip control panel features valve counter, chuck speed control, separate switch positions for spindle and chuck motors, valve speed chart and machine maintenance chart.



- Precision 6-ball chuck (*no collets to change*)
- Self-aligning & accurate to 0.0005
- Valve swivel plates adjust in 1° increments from 13° to 62°
- Grinding wheel is shielded by a protective housing
- Air-activated VS chuck to match the proper speed needed to grind a variety of valve material
- Self-contained 1 gal. coolant
- Mfg.'s 3-yr. limited warranty
- Standard chuck capacity

Chuck capacity .1575" to .5625". Valve head capacity .75" to 4" dia. Stem 1.850"L. Valve wheel 7" dia. Surface wheel 3" dia.

Spindle drive motor 1/2 HP. Chuck drive motor 1/12 HP gear drive. Coolant capacity 1 gal. Valve wheel speed 3,450 rpm/6,322 sfpm.

Stem wheel speed 3,450 rpm/2,708 sfpm. VS chuck 100 to 300 rpm. Min. air requirement 65 psi.

Tool size 37"L x 22"W x 16"H. Tool weight 330 lbs. (*shipping*).

Includes grinding wheel, 3 hex wrenches (1/8", 5/32" & 3/17"), 1 gal. grinding oil, chuck assembly tool, spanner wrench, diamond dressing tools for tip & face grinding, plus rocker arm attachment.

Stk. **500700** Mfg. 012-0005-00 Valve Refacer **\$ 8,394.00**
 Stk. **500680** Mfg. 010-0709-00 Valve Grinding Wheel **107.00**

7/16" Master Grinding Wheel & Pilot Set

Kwik-Way Set has 27 general purpose wheels and 30 pilots (*standard & metric*) specifically selected to meet individual seat grinding needs.



Includes

- 1 ea. 1-1/4", 1-3/8", 1-1/2", 1-9/16", 1-5/8", 1-3/4" & 2" dia. in 15°, 30° & 45°
- 2 ea. 1-7/8" & 2-1/8" dia. in 15°
- 1 ea. 1-7/8" & 2-1/8" dia. in 45°

Stk. **500715** Mfg. 030-0030-00 **\$ 2,195.00**

7/16" Seat Grinder Basic Set


Kwik-Way The foundation of a valve seat reconditioning system. Add a set of seat grinding wheels and pilots to tailor to individual needs. High-quality wheel dresser features an all bearing grinder and powerful 11,500 rpm motor (115V, 7.5 amps, 3/5 HP).



Includes SGH hex drive motor, heavy-duty wheel dresser, 7/16" stone holder, pilot & wheel organizer, strap wrench assembly, wheel dresser pilot, pilot puller, 2 leather washers & molded case.
 Stk. **500720** Mfg. 035-0001-10 **\$ 2,315.00**

Neway Valve Seat Cutter Kit

Briggs & Stratton For reconditioning 30° and 45° angle valve seats on Vanguard™ 3 cylinder liquid-cooled engines. Also has 15° cutter for top cutting 30° angle seats.



Includes 6.0 & 6.02mm pilots.
 Stk. **204329** Mfg. 19446 **\$ 393.00**

Valve Spring Remover for Overhead Valve Engines



Zim Lifts out valve keys and spring without taking off cylinder head. Quickly adjusts to fit any valve spring. 1-man operation is speedy and simple. Hardened jaws.

Stk. **987411** Mfg. 140 **\$ 33.90**

Ring Compressor

Zim Compressor takes all rings at once, including skirt rings. Self-locking, heavy-duty ratchet pawl prevents premature release. Tension band of high spring steel eliminates bottom flare. Approved for Briggs & Stratton and other small engines. 2" depth.



Includes wrench.

Stk. **987670** Mfg. 217 1-3/4" to 3-1/2" capacity **\$ 8.19**

Piston Ring Expanders

Zim For installing and removing piston rings without breaking or distorting. No adjustment needed. All rings expanded whether step cut or diagonal cut. Approved for Briggs & Stratton.



Stk. **987603** Mfg. 203 1-1/4" to 2-1/4" capacity **\$ 10.50**

Stk. **987600** Mfg. 201 2" to 4" capacity **15.70**

Piston Ring Groove Cleaners

Zim Designed for limiting the depth of cut. Side flanges for slotted pistons. 5 points for grooving and 1 for trimming lands on 1 blade. Spring-and-ball ratchet controls alignment of blade. Cutter is hardened and ground.



Stk. **987804** Mfg. 225A 2" to 3" capacity **\$ 23.30**



Zim Hardened cutter 5/64", 3/32", 1/8", 5/32" and 3/16". To change position of cutter, loosen the screw and turn, no wrench needed.

Stk. **987737** Mfg. 221 5-1/2" capacity **\$ 10.40**

O-Ring & Seal Pick

Lisle Angled tips quickly remove and install O-rings and seals even in hard-to-reach places. Tips are hardened to stay sharp. Knurled handle for a sure grip.



Stk. **503819** Mfg. 31840 **\$ 5.99**

Thread Repair Kits

Heli-Coil Inserts are precision-formed screw thread coils of stainless steel wire with a diamond-shaped cross section. When installed into Heli-Coil® tapped holes they provide permanent conventional 60° internal screw threads to fit any standard bolt or screw.



Includes 12 stainless steel inserts, tap & installation tool.

Stk. **942755** Mfg. 5521-4 1/4-20 coarse **\$ 33.90**

Stk. **942756** Mfg. 5521-5 5/16-18 coarse **33.90**

Small Engine/Power Mechanics Resources



Small Engine Textbook

Briggs & Stratton Heavily illustrated book is 300 plus pages packed with theory and concisely explains the most difficult concepts. Students won't find space wasted with repair procedures. Concepts presented easily transcend into other air-cooled engine lines. Written by R. Bruce Radcliff, director of education at Briggs and Stratton.

Stk. **204350** Mfg. CE8020 **\$ 143.00**

Small Engine/Power Mechanics Resources, cont.

Small Engine Care & Repair Manual

Briggs & Stratton A step-by-step guide to maintaining 4 cycle (*stroke*), single cylinder small engines, both L-head & OHV. 143 pages with over 300 color photos. Includes safe handling techniques along with many step-by-step pictures to common maintenance, testing and trouble shooting procedures in an easy-to-understand format. Stk. **203151** Mfg. 274041 \$ **33.50**



Repair Manual

Briggs & Stratton For most single cylinder L-head (*side valve*) engines built after 1981. Manual contains common specifications and detailed, easy-to-follow instructions on how to adjust, tune-up and repair engines. This best seller is used by authorized Briggs and Stratton Service Centers. Contains over 350 pages. Stk. **204340** Mfg. 270962 \$ **17.00**

OHV Repair Manual

Briggs & Stratton For single cylinder overhead valve engines built after 1981. Has common specifications and detailed, easy-to-follow instructions on how to adjust, tune-up and repair Briggs & Stratton 4-cycle single cylinder overhead valve engines. Stk. **203150** Mfg. 272147 \$ **19.50**



Small Gas Engine Repair Activity Set

Midwest Activity has necessary engine, tools and video DVDs to enable students to disassemble and reassemble small gasoline engines.

Features Briggs & Stratton 3 HP horizontal shaft, 4-cycle gas engine with Flo-Jet carburetor and a small bench-mount stand to support the engine.

Disassembly and assembly videos cover a step-by-step approach for tearing down an engine and rebuilding procedures including safety practices with correct removal processes.

Includes

Briggs & Stratton Gas Engine	10-pc. Screwdriver Set
20-pc. Sm. Engine Tool Kit	Sm. Engine Assembly DVD Set/3
18-pc. Allen Wrench Set	Sm. Engine Disassembly DVD Set/3
18-pc. 1/2" Socket Set	Small Engine Stand
14-pc. Combination Wrench Set	1/2" Torque Wrench
13-pc. Sm. Motor Tool Panel	2 Repair Manuals

Stk. **537001** Mfg. MW-ERM 104-piece set \$ **2,295.00**

Small Gas Engine Disassembly DVDs

CEV Series covers safety practices & proper disassembly techniques, plus reproducible questions, final quiz, answer key.



Part I. Techniques are illustrated using a 5 HP Briggs & Stratton engine. Shown are removal of the fuel tank, air filter, carburetor and linkage, muffler, blower housing, mechanical governor, and spark plug. Checking the engine for proper compression is also discussed. Stk. **125841** Mfg. CEVD880 39 min. \$ **109.00**

Part II. Shown are checking the armature air gap settings, removal of the cylinder head, crankcase breather, valves and springs, flywheel, and armature. Also discussed is how a 4-stroke engine operates and how to check valve-to-tappet clearance inspection of the flywheel key. Stk. **125842** Mfg. CEVD881 43 min. \$ **109.00**

Part III. DVD includes the procedures for checking crankshaft and play and the removal of the sump. Also explained are the mechanical governor, and removal of the oil slinger, camshaft, tappets, piston and crankshaft. The final disassembly procedure featured is the removal of the rings and connecting rod from the piston. Stk. **125843** Mfg. CEVD882 31 min. \$ **109.00**

Small Gas Engine Assembly DVDs

CEV Series covers the safety practices and proper techniques for re-assembly. Includes reproducible questions, final quiz & answer key.



Part I. Techniques are illustrated using a 5 HP Briggs and Stratton engine. Shown is the procedure for removing all gasket residue, the installation of the crankshaft, checking ring gap, assembly and installation of the piston and rings, and installation of the tappets, camshaft, oil slinger, governor and sump. The importance of lubricating major components during reassembly is emphasized. Stk. **125844** Mfg. CEVD883 39 min. \$ **109.00**

Part II. DVD illustrates the installation of the valves, checking valve-to-tappet clearance, installation of the armature, replacing the flywheel, setting the armature air gap, and installing the cylinder head. Stk. **125845** Mfg. CEVD884 27 min. \$ **109.00**

Part III. The final DVD illustrates the installation of the crankcase breather, spark plug, muffler, carburetor, and blower housing. Checking the ignition system for proper operation and installation of the oil tube, air filter, and fuel tank complete the reassembly procedure. Stk. **125846** Mfg. CEVD885 27 min. \$ **109.00**

Small Engine Maintenance DVDs

CEV Series covers proper procedures for maintaining and repairing small engines to extend the life of engines. Includes reproducible questions, final quiz & answer key.



Check Up. Includes discussions on the techniques necessary for inspecting and measuring the journals on the crankshaft and camshaft, checking the cam gear bearing in the sump, and measuring ring gap. Also included are proper procedures for measuring the cylinder bore, ring grooves on the piston, wrist pin, and valve stems. Includes demonstrations on how to check valve guides, main bearings and the wires, coil and legs of the armature. Stk. **125849** Mfg. CEVD888 45 min. \$ **109.00**

Clean Up. DVD illustrates the proper cleaning procedures for armature, flywheel, carbon deposits, valves, ring grooves, and air cleaner. Also demonstrated is the removal of gasket residue and the steps necessary for removing a ridge from the cylinder. Stk. **125850** Mfg. CEVD889 35 min. \$ **109.00**

Repair. Proper techniques for honing the cylinder, repairing valve guides, seating valves, replacing the oil seal and washing the engine upon completion of all repairs is demonstrated. Stk. **125851** Mfg. CEVD890 38 min. \$ **109.00**

Small Engine Carburetor DVDs

CEV Series features the identification of parts, disassembly, cleaning, repair & assembly of carburetors. Includes reproducible questions & answer key.



Carburetor I. Features the Vacu-Jet and Flo-Jet (*float type*) carburetors. The correct procedures for removing the needle valve assembly, cleaning the nozzle, checking the venturi, adjusting the float and re-assembling all components, and proper adjustment procedures for the needle valve are demonstrated. Stk. **125847** Mfg. CEVD886 33 min. \$ **109.00**

Carburetor II. Features the horizontal Pulsa-Jet and vertical Pulsa-Jet carburetors. The proper procedures for removing and replacing the diaphragm, needle valve assembly, and throttle shaft, and checking the fuel tank for warping is demonstrated. Stk. **125848** Mfg. CEVD887 37 min. \$ **109.00**

Instructional DVDs, Videos & Software are nonreturnable.